

AVENDRA FF&E SERVICES KITCHEN EQUIPMENT BUDGET GUIDE

Table of Contents

Category Page	
ADJUSTABLE HEIGHT TABLE · · · · · · · · · · · · · · · · · · ·	
BACK BAR CABINET, REFRIGERATED · · · · · · · · · · · · · · · · · · ·	
BATCH FREEZER · · · · · · · · · · · · · · · · · · ·	
BLAST CHILLER, ROLL-IN · · · · · · · · · · · · · · · · · · ·	
BLAST CHILLER, UNDERCOUNTER 2	
BLENDER, BAR	
BOOSTER HEATER, ELECTRIC · · · · · · · · · · · · · · · · · · ·	
BROILER, DECK-TYPE, GAS 2	
BUFFET DISPLAY SERVER SET · · · · · · · · · · · · · · · · · · ·	
BUFFET WARMER · · · · · · · · · · · · · · · · · · ·	
BUN / SHEET PAN RACK · · · · · · · · · · · · · · · · · · ·	
CABINET, COOK / HOLD / OVEN · · · · · · · · · · · · · · · · · · ·	
CABINET, ENCLOSED, BUN / FOOD PAN · · · · · · · · · · · · · · · · · · ·	
CAN RACK	
CARVING STATION / SHELF · · · · · · · · · · · · · · · · · · ·	
CHANNEL PAN RACK • • • • • • • • • • • • • • • • • • •	
CHARBROILER, CHARCOAL, OUTDOOR GRILL · · · · · · · · · · · · · · · · · ·	
CHARBROILER, ELECTRIC, COUNTERTOP 5	
CHARBROILER, GAS, FLOOR MODEL · · · · · · · · · · · · · · · · · · ·	
CHARBROILER, GAS, OUTDOOR GRILL · · · · · · · · · · · · · · · · · ·	
CHEESEMELTER, ELECTRIC	
COFFEE BREWER · · · · · · · · · · · · · · · · · · ·	
COFFEE GRINDER · · · · · · · · · · · · · · · · · · ·	
COLD FOOD WELL UNIT, DROP-IN, REFRIGERATED · · · · · · · · · · · · · · · · · · ·	
COMBI OVEN, ELECTRIC	
COMBI OVEN, GAS	
COMMERCIAL FOOD BLENDER · · · · · · · · · · · · · · · · · · ·	
COMPACT REFRIGERATOR · · · · · · · · · · · · · · · · · · ·	
CONVECTION OVEN, ELECTRIC · · · · · · · · · · · · · · · · · · ·	
CONVECTION OVEN, GAS • • • • • • • • • • • • • • • • • • •	
CONVECTION STEAMER, COUNTERTOP · · · · · · · · · · · · · · · · · · ·	
CONVECTION STEAMER, ELECTRIC · · · · · · · · · · · · · · · · · · ·	
CONVECTION STEAMER, GAS · · · · · · · · · · · · · · · · · · ·	
CONVEYOR TOASTER	
COOK HOLD OVEN CABINET SMOKER, ELECTRIC · · · · · · · · · · · · · · · · · · ·	
COUNTER FREEZER	
COUNTER REFRIGERATOR 12	
DISH CART / DOLLY	
DISHWASHER, CONVEYOR TYPE · · · · · · · · · · · · · · · · · · ·	
DISHWASHER, DOOR TYPE · · · · · · · · · · · · · · · · · · ·	

DISHWASHER, DOOR TYPE, VENTLESS	13
DISHWASHER, UNDERCOUNTER	13
DISPLAY CASE, DIPPING ICE CREAM	14
DISPLAY CASE, HOT FOOD, COUNTERTOP	15
DISPLAY CASE, NON-REFRIGERATED COUNTERTOP	15
DISPLAY CASE, REFRIGERATED BAKERY	15
DISPLAY CASE, REFRIGERATED SUSHI	15
DISPOSER	16
DISPOSER CONTROL PANEL	16
DRAFT BEER COOLER	17
ELECTRIC FLOOR FRYER	17
ELECTRIC FOOD CUTTER	18
ELECTRONICS	18
ENCLOSED MOBILE CABINET EXTRA HEAVY DUTY	18
EQUIPMENT STAND, FOR COUNTERTOP COOKING	18
EQUIPMENT STAND, FOR MIXER / SLICER	19
ESPRESSO CAPPUCCINO MACHINE	19
FAT VAT · · · · · · · · · · · · · · · · · · ·	19
FOLDING TABLE	19
FOOD PACKAGING MACHINE	20
FOOD PAN WARMER, COUNTERTOP	20
FOOD PAN WARMER/COOKER, COUNTERTOP	20
FOOD PROCESSOR, BENCHTOP / COUNTERTOP · · · · · · · · · · · · · · · · · · ·	20
FOOD SLICER, ELECTRIC · · · · · · · · · · · · · · · · · · ·	21
FREEZER MERCHANDISER	21
FROST TOP / COLD SLAB, DROP IN	22
FROZEN DRINK MACHINE, NON-CARBONATED, BOWL TYPE	22
FRYER BATTERY, ELECTRIC	22
FRYER BATTERY, GAS	22
FRYER FILTER, MOBILE	22
GUESTROOM REFRIGERATOR	23
GAS FLOOR FRYER	23
GLASS POLISHER · · · · · · · · · · · · · · · · · · ·	23
GLASS AND PLATE CHILLER	23
GLASSWASHER, BRUSH TYPE	23
GLASSWASHER, UNDERCOUNTER / UNDERBAR · · · · · · · · · · · · · · · · · · ·	24
GRIDDLE, ELECTRIC, COUNTERTOP	24
GRIDDLE, GAS, COUNTERTOP	24
	25
	25
HD RANGE, 36", 6 OPEN BURNERS	25
HD RANGE, 36", THERMOSTATIC GRIDDLE	25

HAND SINK · · · · · · · · · · · · · · · · · · ·	26
HANDWASHING SYSTEM	26
HEATED BANQUET CART	26
HEATED DISH CART	27
HEATED HOLDING PROOFING CABINET, MOBILE	27
HERB & MICROGREEN GROWING CABINET	27
HOT / COLD SERVER · · · · · · · · · · · · · · · · · · ·	27
HOT DOG BROILER / ROTISSERIE	28
HOT DOG BUN BOX	28
HOT DOG GRILL	28
HOT FOOD WELL	28
HOT FOOD WELL UNIT, DROP-IN, ELECTRIC	28
ICE BIN SHUTTLE SYSTEM • • • • • • • • • • • • • • • • • • •	28
ICE BIN FOR ICE MACHINES	28
ICE DISPENSER · · · · · · · · · · · · · · · · · · ·	29
ICE MAKER WITH BIN, CUBE-STYLE	29
ICE MAKER, CUBE-STYLE	30
ICED TEA BREWER	31
IMMERSION BLENDER	31
IMMERSION HAND MIXER	31
INDUCTION RANGE, COUNTERTOP	31
KETTLE, ELECTRIC, COUNTERTOP · · · · · · · · · · · · · · · · · · ·	32
KETTLE, ELECTRIC, STATIONARY	32
KETTLE, GAS, STATIONARY	33
KETTLE, GAS, TILTING	33
MICROWAVE	34
MICROWAVE CONVECTION / IMPINGEMENT OVEN · · · · · · · · · · · · · · · · · · ·	34
MICROWAVE OVEN	34
MILK DISPENSER · · · · · · · · · · · · · · · · · · ·	35
MIXER, VERTICAL CUTTER VCM	35
MOBILE HEATED CABINET	35
MOBILE PLATE AND DISH DISPENSER	36
MOBILE REFRIGERATOR CABINET	36
OPEN DISPLAY MERCHANDISER	36
OVEN ••••••••••••••••••••••••••••••••••••	36
OVEN, DECK-TYPE, GAS	36
PLATE RACK	36
PANINI GRILL	37
PATIO HEATER	37
PIZZA BAKE OVEN, DECK-TYPE, GAS	37
PLANETARY MIXER · · · · · · · · · · · · · · · · · · ·	37
POP-UP TOASTER	38

POPCORN POPPER	38
PORTABLE CONTAINER, REFRIGERATED	39
PROSCUITTO SLICER	39
QUEEN MARY	39
REFRIGERATOR	40
RACK	40
RANGE, 36", 6 OPEN BURNERS · · · · · · · · · · · · · · · · · · ·	40
RANGE, 60", 6 BURNERS, 24" GRIDDLE/BROILER · · · · · · · · · · · · · · · · · · ·	40
RANGE, 60", 10 FRENCH HOT PLATES	40
RANGE, 60", 10 OPEN BURNERS	40
RAPID COOK OVEN	40
REACH-IN DUAL TEMP CABINET	41
REACH-IN FREEZER	41
REACH-IN REFRIGERATOR	42
REFRIGERATED MERCHANDISER	42
REFRIGERATED RAIL	42
REFRIGERATED SERVICE CASE	43
REFRIGERATOR	43
REFRIGERATOR	43
REFRIGERATOR MICROWAVE COMBO	43
REFRIGERATOR/FREEZER RACK, ROLL-IN	43
ROLL-IN FREEZER	43
ROLL-IN REFRIGERATOR	44
ROUND GRIDDLE/PLANCHA	44
SAFE	44
SAFETY SYSTEM MOVEABLE GAS CONNECTOR	44
SALAD / VEGETABLE DRYER, ELECTRIC	45
SALAMANDER BROILER, GAS	45
SANDWICH / PANINI GRILL · · · · · · · · · · · · · · · · · ·	45
SANDWICH / SALAD PREPARATION REFRIGERATOR · · · · · · · · · · · · · · · · · · ·	46
SECURITY UNIT	46
SELF-SERVICE REFRIGERATED OPEN AIR SCREEN CASE · · · · · · · · · · · · · · · · · · ·	46
SHELVING UNIT, HYBRID POLY/WIRE WITH POLYMER POST	47
SOFT SERVE MACHINE	47
STEAMER, CONVECTION, BOILERLESS, COUNTERTOP	48
STEAMER, PRESSURE, ELECTRIC	48
STEAMER, PRESSURE, GAS	48
THREE (3) COMPARTMENT SINK · · · · · · · · · · · · · · · · · · ·	48
TILTING SKILLET BRAISING PAN, ELECTRIC	48
TILTING SKILLET BRAISING PAN, GAS	48
TOASTER, POP-UP	
TWO (2) COMPARTMENT SINK	49

UNDERCOUNTER REFRIGERATOR	49
VEGETABLE CUTTER ATTACHMENT	49
WARMING DRAWER, FREE STANDING · · · · · · · · · · · · · · · · · · ·	50
WINE REFRIGERATOR	50
WIRE SHELVING UNIT	50
WORK TABLE, STAINLESS STEEL TOP	50

Maywood Furniture ML30RDPED3042 Adjustable Height Table

Standard Pedestal Table, round top, plastic laminated 5/8" plywood top (edge to be specified), chrome plated steel columns with die cast aluminum base and mounting plate, 30" dia., 30" & 42" high columns, chrome steel glides std.

T

True Mfg. - General Foodservice TBB-24-48G-S-HC-LD Back Bar Cabinet, Refrigerated

Back Bar Cooler, two-section, 49-1/8"W, (48) 6-packs or (2) 1/2 keg capacity, (4) wire shelves, condensing unit on left, (2) glass doors with locks, LED interior light, stainless steel top, galvanized interior with stainless steel floor, stainless steel front & sides, aluminum back, R290 Hydrocarbon refrigerant, 1/5 HP, 115v/60/1-ph, 2.1 amps, NEMA 5-15P, cULus, UL EPH Classified, Made in USA, ENERGY STAR®

True Mfg. - General Foodservice TBB-24-48-S-HC Back Bar Cabinet, Refrigerated

Back Bar Cooler, two-section, 49-1/8"W, (48) 6-packs or (2) 1/2 keg capacity, (4) wire shelves, condensing unit on left, (2) full doors with locks, LED interior lights, stainless steel top, galvanized interior with stainless steel floor, stainless steel front & sides, aluminum back, R290 Hydrocarbon refrigerant, 1/5 HP, 115v/60/1-ph, 2.1 amps, NEMA 5-15P, cULus, UL EPH Classified, Made in USA

True Mfg. - General Foodservice TBB-24-60G-S-HC-LD Back Bar Cabinet, Refrigerated

Back Bar Cooler, two-section, 61-1/8"W, (72) 6-packs or (3) 1/2 keg capacity, (4) wire shelves, condensing unit on left, (2) glass doors with locks, LED interior light, stainless steel top, galvanized interior with stainless steel floor, stainless steel front & sides, aluminum back, R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1-ph, 2.7 amps, NEMA 5-15P, cULus, UL EPH Classified, Made in USA, ENERGY STAR®



True Mfg. - General Foodservice TBB-2-S-HC Back Bar Cabinet, Refrigerated

Back Bar Cooler, two-section, 58-7/8"W, (88) 6-packs or (2) 1/2 keg capacity, (4) shelves, condensing unit on left, stainless steel top, (2) full doors with locks, LED interior lights, galvanized interior with stainless steel floor, stainless steel exterior, R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1-ph, 2.8 amps, NEMA 5-15P, cULus, UL EPH Classified, Made in USA, ENERGY STAR®

True Mfg. - General Foodservice TBB-24-60-S-HC Back Bar Cabinet, Refrigerated

Back Bar Cooler, two-section, 61-1/8"W, (72) 6-packs or (3) 1/2 keg capacity, (4) wire shelves, condensing unit on left, (2) full doors with locks, LED interior lights, stainless steel top, galvanized interior with stainless steel floor, stainless steel front & sides, aluminum back, R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1-ph, 2.7 amps, NEMA 5-15P, cULus, UL EPH Classified, Made in USA

Beverage Air BB58HC-1-B Back Bar Cabinet, Refrigerated

Refrigerated Back Bar Storage Cabinet, twosection, 59"W, 37-1/4" H, 21.86 cu. ft., (2) solid doors, snap-in door gasket, (4) epoxy coated steel shelves, (2) 1/2 barrel kegs, LED interior lighting with manual on/off switch, stainless steel top, black exterior finish, galvanized interior, left-mounted self-contained refrigeration with storage above, R290 Hydrocarbon refrigerant, 1/4 HP, cULus, UL EPH Classified, UL-Sanitation, Made in USA

Taylor Company 104 Batch Freezer

Batch Ice Cream Freezer, counter model, air-cooled selfcontained refrigeration system, 3 qt. freezing cylinder, automatic timer control, funnel, stainless steel finish, R404A, 1 HP motor, NSF, cULus listed (Go to the Taylor web site link to locate your distributor for pricing & warranty information) \$4,488.39 ea



\$5,966.02 ea



\$3,774.06 ea



\$6,954.00 ea





\$5,497.89 ea

\$6,269.89 ea

\$5,762.60 ea

Traulsen TBC1H-20 Blast Chiller, Roll-In

Spec-Line Roll-In Blast Chiller with EPICON Control, holds (1) 27"W x 29"D x 72"H rack, selfcontained holding refrigeration system, remote chilling refrigeration system not included, chills (300 lbs) 160°F to 40°F /155 minutes, hinged left, cETLus, NSF



\$1,247.63 ea

\$4,809.60 ea

\$21,287.09 ea

Traulsen \$66,819.17 ea TBC5-50 Blast Chiller, Undercounter

Spec-Line Undercounter Blast Chiller with EPICON Control, 9.2 cu. ft., self-contained refrigeration, (1) right hinged door, chills (100 lbs) 160°F to 40°F /180 minutes, (4) chill settings, (5) 18" x 26" pans or (10) 12" x 20" x 2-1/2" pans, touch screen control, USB port, auto defrost, (3) removable food probes, stainless steel interior, stainless steel exterior (sides, front & bullnose top), 6" casters, non-flammable R-448A refrigerant, 3/4 HP, cETLus, NSF



Vitamix 036019 Blender, Bar

(MEXICO ONLY) The Quiet One® Blender, countertop, 48 oz. (1.4 liter) capacity, clear Tritan™ BPA free Advance® container, 24-1/2"H with lid open, stackable, removable compact cover, (6) touch control buttons with (34) program options, includes: Advance® blade assembly & lid, 3-peak HP, 120v/50/60/1-ph, 15.0 amps, NEMA 5-15P, RoHs compliant, CE, cULus, NSF



Hatco C-54 Booster Heater, Electric

Compact Booster Heater, electric, 6 gallon storage capacity, electric operation, stainless steel front panel, powder-coated silver-gray hammertone body, 6" plastic non-adjustable legs, Castone® lined tank, 54.0kW, NSF, cULus, Made in USA



Vulcan VST4B Broiler, Deck-Type, Gas

Heavy Duty Chophouse Broiler, 45" wide, gas, (3) 45,000 BTU burners, over-fired deck type, 4position adjustable broiler grid, 1/2" certified griddle plate on top with 2" side & backsplashes, front grease trough, stainless steel front, sides, legs & undershelf, casters, 135,000 BTU, CSA, NSF



Blender, Bar Drink Machine Advance® (VM0100A), stackable 48 oz. (1.4 liter) clear BPA Free Tritan™ Advance® container, includes (6) pre-loaded programs_includes: Advance

Vitamix

062825

includes (6) pre-loaded programs, includes: Advance[®] blade assembly & lid, red base, 2.3 peak HP, 120v/50/60/1-ph, 11.5 amps, NEMA 5-15P, cULus, NSF

Vulcan VIR1SF Broiler, Deck-Type, Gas

V Series Deck-Broiler, Heavy Duty range match, Gas, singledeck infrared burners, 25-1/2" x 24-1/2 cooking grid, spring balanced, 5 position grip, standard oven base, stainless steel front, top front ledge & sides, 6" stainless steel legs, 1-1/4" front gas manifold, 150,000 BTU, NSF, CSA Star, CSA Flame

Southbend 270 Broiler, Deck-Type, Gas

Broiler, gas, double-deck, free standing, infrared, enclosed base, stainless steel top, front, sides & 6" adjustable legs, 208,000 BTU, CSA, NSF



\$27,806.32 ea



\$26,484.65 ea



\$558.78 ea

Vulcan VIR1F Broiler, Deck-Type, Gas

V Series Deck-Broiler. Heavy Duty range match, Gas, singledeck infrared burners, 25-1/2" x 24-1/2 cooking grid, spring balanced, 5 position grip, modular, stainless steel front, top front ledge & sides, 6" stainless steel legs, 1-1/4" front gas manifold, 100,000 BTU, NSF, CSA Star, CSA Flame (* for refrigerated base mount only)



Spring USA \$18,861.72 ea QS7230

Buffet Display Server Set

Buffet Table, 72" x 30" x 37-1/2"H, (3) undermounted 650 watt induction ranges, (1) power strip, (4) stainless steel legs with casters, (2) locking casters, Snow Smartstone® table top, dark walnut wood edge, 120v/50/60/1-ph, 20 amps, NEMA 5-20P, Quick Ship



Hatco GR2BW-36 **Buffet Warmer**

\$2,935.20 ea

Glo-Ray[®] Buffet Warmer, counter model, pass thru design, hardcoat aluminum double acrylic sneeze guards, (2) bulbs, holds (2) 12" x 20" pans capacity, designer panels & corner caps, heated base, CE, cULus, UL EPH Classified, Made



design, hardcoat aluminum double acrylic sneeze guards, (6) bulbs, holds (5) 12" x 20" pans capacity, designer panels & corner caps, heated base, 4" legs, CE, cULus, UL EPH Classified, Made in USA

Hatco

GR2BW-72

Buffet Warmer

Glo-Ray[®] Buffet Warmer,

counter model, pass thru



Hatco **GR2BW-48 Buffet Warmer**

Glo-Ray[®] Buffet Warmer,

counter model, pass thru

design, hardcoat aluminum

double acrylic sneeze guards,

(4) bulbs, holds (3) 12" x 20"

pans capacity, designer panels

& corner caps, heated base, 4"

in USA

Hatco **GRHW-2P Buffet Warmer**

Glo-Ray[®] Hors D'Oeuvre Warmer, countertop unit with heated base, infrared top heat, buffet style sneeze guard, lighted rocker switch, with 4" legs, 1640 watts, CE, cULus, UL EPH Classified, Made in USA



Cres Cor 2071812SD **Bun / Sheet Pan Rack**

legs, CE, cULus, UL EPH Classified, Made in USA

Utility Rack, mobile, angle ledge, super duty, full height, open sides, riveted pan slides with extruded angles, 5-1/8" centers, (24) 14" x 18" tray or (12) 18" x 26" pan capacity, end loading, fully welded Hi-Tensile aluminum frame construction, (4) 5" swivel casters (2) braked, NSF

\$1,182.98 ea

\$3,553.20 ea

Carter-Hoffmann CH1600 Cabinet, Cook / Hold / Oven

Cook & Hold Cabinet, electric, (16) 18" x 26" sheet pan capacity, 240 lb. approximate meat capacity, digital controls, cook to time or temperature, meat probe included, stainless steel construction, (4) 5" casters (2 with brakes), NSF, cULus, CE

\$12,907.62 ea

\$1,722.00 ea



\$7,855.92 ea

\$4,896.00 ea

Carter-Hoffmann CH1800 Cabinet, Cook / Hold / Oven

Cook & Hold Cabinet, electric, (18) 18"x 26" sheet pan capacity, 240 lb. approximate meat capacity, digital controls, cook to time or temperature, meat probe included, stainless steel construction, (4) 5" casters (2 with brakes), NSF, cULus, CE



Carter-Hoffmann CH750 Cabinet, Cook / Hold / Oven

Cook & Hold Cabinet, undercounter, electric, (10) 12" x 20" sheet pan capacity, 100 lb. approximate meat capacity, digital controls, cook to time or temperature, meat probe included, stainless steel construction, (4) 2" casters (2 with brakes), cULus, NSF



New Age 1225 Can Rack

Can Storage Rack, mobile, halfsize, aluminum construction with stainless top, sloped glides, accommodates (72) #10 cans or (96) #5 cans, (2) swivel/brake & (2) rigid 5" platform casters, NSF, Made in USA, (standard factory lead time)



New Age 1256 Can Rack

Can Storage Rack, stationary design with adjustable feet, sloped glides for automatic can retrieval, aluminum construction, holds (216) #10 or (297) #5 cans, NSF, Made in USA, (standard factory lead time)



\$12,688.19 ea

\$6,572.14 ea

\$829.44 ea

\$1,085.76 ea

Carter-Hoffmann CH600 Cabinet, Cook / Hold / Oven

Cook & Hold Cabinet, electric, (6) 18" x 26" sheet pan capacity, 80 lb. approximate meat capacity, digital controls, cook to time or temperature, meat probe included, stainless steel construction, (4) 5" casters (2 with brakes), NSF, cULus, CE

Cabinet, Enclosed, Bun / Food

mobile, enclosed, 69-3/4" high,

18" x 26" pans slides on 1-1/2"

centers, reinforced door swings

270°, gravity type latch, card

casters (2) braked, Hi-Tensile aluminum exterior & interior,

clip included, (4) 5" swivel

Transport Storage Cabinet,

single wall non-insulated, corrugated side walls hold (40)

Cres Cor

Pan

NSF

New Age

1250CK

Can Rack

1001841D



\$1,690.85 ea



\$951.84 ea

Can Storage Rack, mobile design with casters, sloped glides for automatic can retrieval, aluminum construction, holds (162) #10 or (216) #5 cans, (4) 6" plate casters, (2) swivel with brakes, (2) rigid, NSF, Made in USA, (standard factory lead time)



New Age 97294CK Can Rack

> First In, First Out Can Rack, mobile, with sloped glides for automatic can retrieval, holds (156) #10 cans, front edge turned up, welded aluminum construction, 6" platform casters (2) swivel with brakes C495, 2 rigid C500, Made in USA, (standard factory lead time)

\$2,937.60 ea



\$6,739.91 ea

Alto-Shaam CS-100 **Carving Station / Shelf**

Hot Carving Shelf, 31" x 18-3/8" x 25-1/2", indicator light, infrared lamp, (3) position HI/LOW/OFF toggle switch, cutting board, 35 lb. max capacity, recessed surface, 1" legs, 18 gauge stainless steel construction, EcoSmart[®], cULus, NSF, CE, EAC

Winholt Equipment ALC-1840 **Channel Pan Rack**

Mobile Pan Rack, full height, open sides, with slides for (40) 18"x26" pans, welded channel aluminum frame, end loading, 5" swivel stem casters, NSF

\$422.97 ea

\$5,422.92 ea

\$1,773.95 ea

Wells B-40 Charbroiler, Electric, Countertop

Charbroiler, countertop,

electric, 4" high legs, cast iron

grate, 24" wide, stainless steel

construction, with grease pan

and scraper/brush, UL, CE

Magikitch'n FM-SMB-648 Charbroiler, Gas, Floor Model

Coal Charbroiler, floor model, gas, 48"W x 35-1/2"D x 39-1/2"H overall size, free floating round rod top grate with EZ tilt to front grease trough, ceramic briquettes, standing pilot, 6" service shelf with utility bar, water tubs, open cabinet base, top grid scraper, 6" adjustable legs, CSA Flame, CSA Star, NSF



\$12,798.55 ea



cutting board, 70 lb. max capacity, recessed surface, framed clear glass breath guard, 1" legs, 18 gauge

Magikitch'n

FM-SMB-636

Alto-Shaam

Carving Station / Shelf

Hot Carving Shelf, 33" x 25-3/4"

x 30-15/16", indicator light,

infrared lamp, (3) position

HI/LOW/OFF toggle switch,

stainless steel construction,

EcoSmart[®], cULus, NSF, CE, EAC

CS-200/S


Crown Verity CV-BM-60 Charbroiler, Charcoal, Outdoor Grill

Outdoor Charbroiler, Charcoal, 72"L x 24"D, 60" x 24" height adjustable grill area, high heat enamel finish, 14 gauge cold rolled steel construction, removable heavy duty grill, removable legs with 5" swivel casters

\$1,098.00 ea



\$10,484.81 ea



Charbroiler, Gas, Floor Model



Magikitch'n FM-SMB-660 Charbroiler, Gas, Floor Model

Coal Charbroiler, floor model, gas, 60"W x 35-1/2"D x 39-1/2"H overall size, free floating round rod top grate with EZ tilt to front grease trough, ceramic briquettes, standing pilot, 6" service shelf with utility bar, water tubs, open cabinet base, top grid scraper, 6" adjustable legs, CSA Flame, CSA Star, NSF

\$15,102.72 ea



\$2,697.32 ea

Magikitch'n LPAGA-60S-LP Charbroiler, Gas, Outdoor Grill

Magicater AGA Approved Transportable Gas Grill, liquid propane, 60", (8) burners, stainless steel radiants, (2) nickel-chrome plated top grates, 8" work deck, individual control valves, (2) 30" rolltop hoods, (2) 40 pound tank in removable tank cart, pressure regulator, stainless steel construction, (4) swivel casters, 160,000 BTU, CSA Flame, CSA Star, NSF

Crown Verity CV-MCB-60 Charbroiler, Gas, Outdoor Grill

\$4,022.10 ea

\$10,867.39 ea

Mobile Outdoor Charbroiler, LP gas, 58" x 21" grill area, 8 burners, 304 stainless steel construction, stainless steel grill, radiants, lighter tube (pilot), water pan, includes hose & regulator, undershelf, legs with (2) 14" wheels & (2) total lock caste

BUNN 39200.0000 Coffee Brewer

39200.0000 Titan[®] Dual Brewer, 34.3 gallon per hour, coffee extraction controlled with preinfusion & pulse brew, digital temperature control, large spray head, BrewMETER[®], SplashGard[®] funnel, locks & 28 ounce capacity and paper filter retainers, hot water faucet, Energy-saver mode, stainless steel insulated servers (sold separately), (2) 12,000 watts, UL, NSF

BUNN 34800.0003 Coffee Brewer

34800.0003 SINGLE TF DBC® BrewWISE® ThermoFresh Coffee Single Brewer, 11.4 gal/hr, coffee extraction controlled with preinfusion & pulse brew, digital temperature control, large spray head, stores individual recipes, funnel locks, smart funnel, wireless brewer-grinder interface, stainless steel finish, holds 1-1/2 gallon ThermoFresh server (server sold separately), 120/208v/60/1-ph, 4000w, 19.2amps, UL, NSF

\$3,915.38 ea

BUNN

39300.0000

Coffee Brewer



\$1,422.49 ea



Crown Verity CV-MCB-72 Charbroiler, Gas, Outdoor Grill

Mobile Outdoor Charbroiler, LP gas, 70"x21" grill area, 10 burners, 304 stainless steel construction, stainless steel grill, radiants, lighter tube (pilot), water pan, includes hose & regulator, undershelf, legs with (2) 14" wheels & (2) total lock caster

Vulcan 1048 Cheesemelter, Electric

Cheesemelter, electric, 50", (4) rack positions, solid state controls, quartz infrared tube heating elements, stainless steel exterior and interior finish, includes: 4" adjustable legs for countertop installation & wall mounting panel, 4.8 kW, CSA, UL, NSF



\$2,936.46 ea

39300.0000 Titan[®] Single Brewer, 22.5 gallon per hour, coffee extraction controlled with preinfusion & pulse brew, digital temperature control, large spray head, BrewMETER[®], SplashGard[®] funnel. locks & 28 ounce capacity

infusion & pulse brew, digital temperature control, large spray head, BrewMETER®, SplashGard® funnel, locks & 28 ounce capacity and paper filter retainers, hot water faucet, Energy-saver mode, stainless steel insulated servers (sold separately), 12,000 watts, UL, NSF

BUNN 34600.0006 Coffee Brewer

34600.0006 DUAL TF DBC® BrewWISE® ThermoFresh® Coffee Brewer, 16.3 gal/hr, coffee extraction controlled with preinfusion & pulse brew, digital temperature control, large spray head, automatic programming, stores individual recipes, SplashGard® & optional funnel locks, stainless steel finish, lower hot water faucet, wireless brewer-grinder interface, holds (2) 1-1/2 gallon ThermoFresh servers (servers sold separately), 120/208v/60/1ph, 5700w, 27.4amps, UL, NSF \$2,474.04 ea



\$4,513.50 ea

\$3,735.50 ea





BUNN 36600.0000 **Coffee Brewer**

36600.0000 ICB-DV Infusion Series® Coffee Brewer, dual voltage adaptable, single brewer, (3) brew buttons, (2) programmable batch full/half batch switches, smart funnel, brews into 2.5 to 3.8 liter airpots & 1 to 1.5 gallon baseless TF servers (sold separately), digital display in English/Spanish, energysaver mode, stainless steel finish, operates at 120v (15amp), or 120/208v-240v (20amp), NSF, UL



BUNN 33700.0001 **Coffee Grinder**

33700.0001 G9-2T DBC Coffee Grinder, portion control, dual 6 lb. hoppers, 3 batch sizes per hopper, black decor, high volume capacity, smart funnel allows for wireless brewergrinder interface, 3/4 HP, 1080 watts, 120v/60/1-ph, 9.4amps, 1080 watts, cord attached, NEMA 5-15P, UL, cULus, ETL

\$1,682.58 ea

\$13,944.42 ea

\$820.26 ea

RATIONAL ICC 10-HALF E 480V 3 PH Combi Oven, Electric

(LM200DE)(CD2ERRA.0000253) iCombi Classic[®] 10-Half Size Combi Oven, electric, (10) 13" x 18" sheet pan or (10) 12" x 20" steam pan or (10) 1/1 GN pan capacity, digital color display screen with push button control. (3) manual operating modes: steam, convection & combination, 85° to 572°F temperature range, (100) program slots, core temperature probe, retractable hand shower, 5-speed fan, (4) automatic cleaning programs, integrated care system, Ethernet interface, 480v/60/3-ph, 18.9 kW, CE, IPX5, UL, cULus, NSF, ENERGY STAR®



RATIONAL **ICC 20-FULL E 480V 3 PH** Combi Oven, Electric

(LM200GE)(CG2ERRA.0000265) iCombi Classic® 20-Full Size Combi Oven, electric, (20) 18" x 26" sheet pan or (40) 12" x 20" steam pan or (20) 2/1 GN pan capacity, mobile oven rack & (10) stainless steel grids included, digital color display screen with push button control, (3) manual operating modes: steam, convection & combination, 85° to 572°F temperature range, (100) program slots, core temperature probe, retractable hand shower, 5speed fan, (4) automatic cleaning programs, integrated care system, Ethernet interface, 480v/60/3-ph, 67.9 kW, IPX5, UL, cULus, NSF

\$36,970.92 ea



BUNN 37600.0002 **Coffee Brewer**

> 37600.0002 ICB-TWIN Infusion Series® Coffee Brewer, brews 18.9 gallons per hour capacity, (3) brew buttons, (2) programmable full/half batch switches, smart funnel, brews into 2.5 to 3.8 litre airpots & 1 to 1.5 gallon baseless TF servers (sold separately), digital display in English/Spanish, energy-saver mode, stainless steel finish, 120/208v/60/1-ph, 6000w, 28 amps, cord attached, UL, NSF

Atlas Metal WCM-BT-4 Cold Food Well Unit, Drop-In, Refrigerated

Cold Food Drop-In Unit, refrigerated cold pan, airflow design, 4-pan size, selfcontained refrigeration, insulated pan, with on/off switch, pilot light & automatic defrost system, stainless steel inner liner & top, galvanized steel outer liner, R134A refrigerant, 1/3 HP, UL

RATIONAL **ICC 10-FULL E 480V 3 PH** Combi Oven, Electric

(LM200EE)(CE2ERRA.0000259) iCombi Classic® 10-Full Size Combi Oven, electric, (10) 18" x 26" sheet pan or (20) 12" x 20" steam pan or (10) 2/1 GN pan capacity, (5) stainless steel grids included, digital color display screen with push button control, (3) manual operating modes: steam, convection & combination, 85° to 572°F temperature range, (100) program slots, core temperature probe, retractable hand shower, 5-speed fan, (4) automatic cleaning programs, integrated care system, Ethernet interface, 480v/60/3-ph, 37.4 kW. IPX5. UL. cULus. NSF



\$8,512.85 ea



\$20,149.08 ea



Alto-Shaam CTC6-10E Combi Oven, Electric

Combitherm[®] CT Classic[™] Combi Oven/Steamer, electric, boilerless, countertop, (7) 18" x 13" half size sheet pans or (7) 12" x 20" full size hotel (1/1 GN) pan capacity, classic control with steam/convection/combi cooking modes, SafeVent[™] steam venting, CombiClean[™] with (1) cleaning level, CoolTouch3[™] glass window, door hinged right, high efficiency LED lighting, (2) side racks with (7) non-tilt support rails, stainless steel construction, adjustable stainless steel legs, EcoSmart®, cULus, UL EPH Classified, CE, IPX5, EAC, city-wide COA for New York City (Model CTC 6-10EVH)

\$13,696.59 ea



\$1,332.53 ea

Alto-Shaam **CTP6-10E** Combi Oven, Electric

Combitherm[®] CT PROformance[™] Combi Oven/Steamer, electric, boilerless, countertop, capacity (7) 18" x 13" half size sheet or (7) 12" x 20" full size hotel (1/1 GN) pan capacity, PROtouch control with steam/convection/combi/retherm modes, removable single-point temperature probe, (2) power levels, (4) cooking modes, programmable cool-down, SafeVent[™] steam venting, CombiClean PLUS[™] with (5) cleaning levels, CoolTouch3[™] glass window, door hinged right, high efficiency LED lighting, (2) side racks with (7) non-tilt support rails, stainless steel construction, adjustable stainless steel legs, EcoSmart[®], cULus, UL EPH Classified, CE, IPX5, EAC, city-wide COA for New York City (Model CTP 6-10EVH)

Alto-Shaam CTX4-10E/S Combi Oven, Electric

Combitherm® CombiOven, electric, countertop, (5) 12" x 20" full size hotel or (10) 18" x 13" half size sheet pan capacity, simple control includes single speed motor, includes: CombiClean® system & hand sprayer kit, (2) shelves, stainless steel construction, adjustable bullet legs, EcoSmart[®], cULus, UL EPH ANSI/NSF 4, CE, EAC, IPX4



Alto-Shaam CTX4-10EVH Combi Oven, Electric

Combitherm® CombiOven, electric, countertop, with ventless hood, (5) 12" x 20" full size hotel or (10) 18" x 13" half size sheet pan capacity, ExpressTouch control includes two-speed reversing fan, retherm mode, moisture injection, 6 browning levels, reduced energy levels, steam venting, delayed start time, shelf timer and USB port, includes: CombiClean® system & hand sprayer kit, (2) shelves, stainless steel construction, adjustable bullet legs, EcoSmart®, cULus, UL EPH ANSI/NSF 4, CE, EAC, IPX4, city-wide COA for New York City

RATIONAL ICC 10-FULL NG 208/240V 1 PH Combi Oven, Gas

(LM200EG) (CE2GRRA.0000275) iCombi Classic[®] 10-Full Size Combi Oven, natural gas. (10) 18" x 26" sheet pan or (20) 12" x 20" steam pan or (10) 2/1 GN pan capacity, (5) stainless steel grids included, digital color display screen with push button control, (3) manual operating modes: steam, convection & combination, temperature range 85° to 572°F, (100) program slots, core temperature probe. retractable hand shower, 5-speed fan, (4) automatic cleaning programs, integrated care system, Ethernet interface, 152,000 BTU, 208/240v/60/1-ph, 1.5 kW, IPX5, 6 ft. cord, cCSAus, NSF

IPX5, cCSAus, NSF

RATIONAL ICC 20-FULL NG 208/240V 1 PH Combi Oven, Gas

(LM200GG) (CG2GRRA.0000280) iCombi Classic[®] 20-Full Size Combi Oven, natural gas. (20) 18" x 26" sheet pan or (40) 12" x 20" steam pan or (20) 2/1 GN pan capacity, mobile oven rack & (10) stainless steel grids included, digital color display screen with push button control, (3) manual operating modes: steam, convection & combination, temperature range 85° to 572°F, (100) program slots, core temperature probe, retractable hand shower, 5speed fan, (4) automatic cleaning programs, integrated care system, Ethernet interface, 305,500 BTU, 208/240v/60/1-ph, 2.2 kW, 6 ft. cord, IPX5, cCSAus, NSF

(5) 12" x 20" full size hotel or (10) 18" x 13' half size sheet pan capacity, ExpressTouch control includes two-speed reversing fan, retherm mode, moisture injection, 6 browning levels, reduced energy levels, steam venting, delayed start time, shelf timer and USB port, integrated catalytic converter allows for ventless operation, includes: CombiClean system & hand sprayer kit, (2) shelves, stainless steel construction, adjustable bullet legs, EcoSmart®, cULus, UL EPH ANSI/NSF 4, CE,

RATIONAL ICC 10-HALF NG 120V 1 PH Combi Oven, Gas

Alto-Shaam

Combi Oven, Electric

Combitherm® CombiOven, electric,

countertop, (5) 12" x 20" full size hotel or

(10) 18" x 13" half size sheet pan capacity,

injection, 6 browning levels, reduced energy

CombiClean® system & hand sprayer kit, (2)

adjustable bullet legs, EcoSmart®, cULus, UL

Combitherm[®] CombiOven, electric, countertop,

levels, steam venting, delayed start time,

ExpressTouch control includes two-speed

reversing fan, retherm mode, moisture

shelf timer and USB port, includes:

shelves, stainless steel construction.

EPH ANSI/NSF 4, CE, EAC, IPX4

Combi Oven. Electric

Alto-Shaam

CTX4-10EC

EAC, IPX4

CTX4-10E

\$16,120.24 ea

\$8,925.11 ea

\$15,506.94 ea

\$23,362.08 ea

(LM200DG)(CD2GRRA.0000270 iCombi Classic® 10-Half Size Combi Oven, natural gas, (10) 13" x 18" sheet pan or (10) 12" x 20" steam pan or (10) 1/1 GN pan capacity, digital color display screen with push button control, (3) manual operating modes: steam, convection & combination, temperature range 85° to 572°F, (100) program slots, core temperature probe, retractable hand shower, 5speed fan, (4) automatic cleaning programs, integrated care system, Ethernet interface, 83,500 BTU, 120v/60/1-ph, 6 ft. cord, 0.9 kW,



\$41,769.00 ea

\$16,172.10 ea







\$10,799.13 ea

Alto-Shaam CTC20-10G Combi Oven, Gas

Combitherm[®] CT Classic[™] Combi

Oven/Steamer, gas, boilerless, floor model with roll-in cart, (20) non-tilt support rails, (20) 18" x 13" half size sheet or (20) 12" x 20" full size hotel pan (1/1 GN) capacity, classic control with steam/convection/combi cooking modes. SafeVent[™] steam venting, CombiClean[™] with (1) cleaning level, CoolTouch3[™] glass window, door hinged right, high efficiency LED lighting, stainless steel construction, seismic legs, 140,000 BTU, EcoSmart®, cULus, UL EPH Classified, CE, IPX5, Gastec, EAC

\$34,537.52 ea

Alto-Shaam CTP20-10G Combi Oven. Gas

Combitherm[®] CT PROformance[™] Combi Oven/Steamer, gas, boiler-free, floor model with roll-in cart, (20) non-tilt support rails, (20) 18" x 13" half size sheet or (20) 12" x 20" full size hotel pan (1/1 GN) capacity, PROtouch control with steam/convection/combi and retherm cooking modes, programmable cool-down, SafeVent[™] steam venting, removable singlepoint temperature probe, (3) power levels, (4) cooking modes, CombiClean PLUS[™] with (5) cleaning levels, CoolTouch3™ glass window, door hinged right, high efficiency LED lighting, stainless steel construction, seismic legs, 160.000 BTU. EcoSmart[®]. cULus. UL EPH Classified, CE, IPX5, Gastec, EAC

Commercial Food Blender

Vita-Prep (VM0101), 64 oz. (2 liters) capacity, clear BPS-free

Tritan[™] standard container

manually-operated variable

switch automatically returns to

neutral position, includes: lid

& tamper, black base, 2.3 peak

amps, NEMA 5-15P, cULus, NSF

Compact refrigerator with auto

defrost All refrigerator Black exterior finish Dimension: 17-

11/16" W x 20-1/16" D x 27" H

HP, 120v/50/60/1-ph, 11.5

with wet blade assembly,

speed control, start/stop

Vitamix

062827

Danbv

DAR026A1BDD

Compact Refrigerator

Capacity: 2.6 cu ft.



\$36,855.03 ea

\$496.38 ea

\$201.60 ea



Oven/Steamer, gas, boilerless, floor model with roll-in cart, (20) non-tilt support rails, (20) 18" x 26" full size sheet, (20) GN 2/1, or (40) 12" x

Alto-Shaam

CTC20-20G

Combi Oven, Gas

Combitherm[®] CT Classic[™] Combi

20" full size hotel pan (1/1 GN) capacity. classic control with steam/convection/combi cooking modes, SafeVent[™] steam venting, CombiClean[™] with (1) cleaning level, CoolTouch3[™] glass window, door hinged right, high efficiency LED lighting, stainless steel construction, seismic legs, 242,000 BTU, EcoSmart[®], cULus, UL EPH Classified, CE, IPX5, Gastec. EAC

Alto-Shaam CTP20-20G Combi Oven, Gas

Combitherm[®] CT PROformance[™] Combi Oven/Steamer, gas, boiler-free, floor model with roll-in cart, (20) non-tilt support rails, (20) 18" x 26" full size sheet or (40) 12" x 20" full size hotel pan (1/1 GN) capacity, PROtouch control with steam/convection/combi and retherm cooking modes, programmable cool-down, SafeVent[™] steam venting, removable single point temperature probe, (3) power levels, (4) cooking modes, CombiClean PLUS™ with (5) cleaning levels, CoolTouch3[™] glass window, door hinged right, high efficiency LED lighting, stainless steel construction, seismic legs, 266,000 BTU, EcoSmart®, cULus, UL EPH Classified, CE, IPX5, Gastec, ENERGY STAR®

005201-1191 **Commercial Food Blender**

XL® Blender System (VM0141A), variable speed, includes: (1) 1.5 gallon clear polycarbonate container complete with XL Blade assembly, lid, and tamper, Also includes: (1) 64 oz. clear BPA Free Tritan™ container complete with XL blade assembly and lid, 4.2 peak HP, 120v/50/60/1-ph, 15.0 amps, UL, NSF

Vitamix

Vulcan VC4ED **Convection Oven, Electric**

Convection Oven, electric, single-deck, standard depth, solid state controls, 60 minute timer, (5) nickel plated racks, 23-3/4"H legs with foot, stainless steel front, top & sides, stainless steel door with window, 1/2 HP, 12.5kW, NSF, cUL, UL, ENERGY STAR®

\$46,670.15 ea

\$50,609.24 ea



\$2,064.45 ea



\$11,949.07 ea



\$23,378.57 ea

Vulcan VC44ED **Convection Oven, Electric**

Convection Oven, electric, double-deck, standard depth, solid state controls, temperature range 150° to 500°F, 60 minute timer with audible alarm per oven, oven cool switch for rapid cool down, independently operated stainless steel doors with double pane windows, porcelain enamel on steel oven interiors, (5) nickel plated racks per oven, stainless steel front, top, sides & 8"H legs, (2) 1/2 HP two speed oven blower-motors, 12 kW each section, NSF, cUL, UL, ENERGY STAR®

Vulcan SG44 **Convection Oven, Gas**

Convection Oven, gas, double-deck, solid state controls, electronic spark ignition, gentle bake mode selector switch, 60 minute timer with audible alarm, 150° to 500°F temperature range, stacking kit, (5) oven racks per section, independently operated doors with windows, porcelain enamel interior, stainless steel doors, front, sides, top & 8" legs, (2) 1/2 HP, (2) 60,000 BTU, CSA, NSF, **ENERGY STAR®**

Southbend TVGS/22SC **Convection Oven, Gas**

TruVection Convection Oven, gas, low-profile, double-deck, electronic ignition, 150-550°F solid state thermostatic controls, 60 minute mechanical cook timer, oven interior light, cool down fan, includes (3) racks per oven, porcelain oven interior, stainless steel door handle, front, sides, top & 6" legs, (2) 1/2 HP, 104,000 BTU, CSA, NSF

Vulcan C24EA5-PS **Convection Steamer**, Countertop

Convection Steamer, countertop, electric, PowerSteam[™] Series with Superheated Steam, 1 compartment, 24" wide, (5) 12" x 20" x 2-1/2" pans capacity, high output stainless steel steam generator with Timed Smart Drain & Powerflush, staged water fill, professional controls with 60-minute timer. buzzer & constant steam feature. cook/ready lights & power switch, split water lines, stainless steel interior & exterior. leveling feet. cULus. UL EPH Classified

\$23,898.13 ea



Vulcan VC44GD **Convection Oven, Gas**

Southbend

TVGS/12SC

Convection Oven, Gas

TruVection Convection Oven,

gas, low-profile, single deck,

solid state thermostatic

electronic ignition, 150-550°F

controls, 60 minute mechanical

cook timer, oven interior light,

racks, porcelain oven interior,

front, sides, top & 6" legs, 1/2

cool down fan, includes (3)

stainless steel door handle,

HP, 52,000 BTU, CSA, NSF

Convection Oven, gas, doubledeck, standard depth, solid state controls, electronic spark igniters, 60 minute timer, (5) nickel plated racks per oven, stainless steel front, top, sides & 8"H legs, stainless steel doors with windows, (2) 50,000 BTU, NSF, CSA Star, CSA Flame, ENERGY STAR®



\$8,182.86 ea



Vulcan VC4GD **Convection Oven, Gas**

Convection Oven, gas, singledeck, standard depth, solid state controls, electronic spark igniter, 60 minute timer, (5) nickel plated racks, 23-3/4"H legs with foot, stainless steel front, top & sides, stainless steel door with window, 50,000 BTU, NSF, CSA Star, CSA Flame, ENERGY STAR®

Cleveland Range 21CET16 **Convection Steamer**, Countertop

Steamcraft[®] Ultra 5 Convection Steamer, electric, countertop, 1 compartment, (5) 12 x 20 x 2-1/2" pans/compartment capacity, easyTimer 90-minute timer with dial and LED digital readout in minutes and seconds. includes SureCook load compensating thermostat, manual cooking mode and descale indicator. left-hand hinged door. controls on right, automatic water level and generator drain, steam shut-off switch, stainless steel construction. 16 kW

\$12,685.46 ea

\$11,689.28 ea



\$24,828.76 ea



\$16,366.75 ea

\$15,700.68 ea

Cleveland Range 21CGA5 **Convection Steamer,** Countertop

Vulcan

C24ET10-PS

Steamcraft® Ultra 5 Convection Steamer, Gas, countertop, 1 compartment, (5) 12 x 20 x 2-1/2" pans/compartment capacity, easyTimer 90-minute timer with dial and LED digital readout in minutes and seconds, includes SureCook load compensating thermostat, manual cooking mode and descale indicator, automatic boiler blowdown, left-hand hinged door, controls on right, split water connection, steam shutoff switch, stainless steel construction, 70,000 BTU, 4" adjustable legs

Convection Steamer, Electric

ET Series Convection Steamer. PowerSteam™.

capacity, dual high output stainless steel steam

generators, 235°F superheated steam, Smart

professional controls with 60 minute timer,

steam feature, staged water fill, split water line,

single drain connection, stainless steel interior

buzzer for each compartment. & constant

& exterior, dual delime ports, leveling feet,

Convection Steamer, Gas

Convection Steamer, Gas, PowerSteam[™] Series

with Superheated Steam, 2 compartments on

24" cabinet base, (10)12" x 20" x 2-1/2" deep

total pan capacity, staged water fill high output

stainless steel steam generator with Timed

Smart Drain & PowerFlush, auto blowdown.

professional controls with 60 minute timer.

steam feature, split water line, stainless steel

interior, exterior, frame & flanged feet, electric

ignition, 125,000 BTU, CSA Flame, CSA Star, UL

buzzer for each compartment, & constant

31.1kW, UL EPH, cULus Listed

Vulcan

C24GA10-PS

EPH Classified

electric, 2 compartments, 24" cabinet base.

(10) 12" x 20" x 2-1/2" deep total pan

Drain system & Powerflush, individual



\$17,322.98 ea

Cleveland Range 21CET8 Convection Steamer, Countertop

Steamcraft® Ultra 3 Convection Steamer, electric, countertop, 1 compartment, (3) 12 x 20 x 2-1/2" pans per compartment capacity, easyTimer 90-minute timer with dial and LED digital readout in minutes and seconds, includes SureCook load compensating thermostat, manual cooking mode and descale indicator, left-hand hinged door, controls on right, automatic boiler blowdown. steam shut-off switch. stainless steel construction, 8 kW




Vulcan C24ET6-PS **Convection Steamer, Electric**

ET Series Convection Steamer. PowerSteam™ electric, 2 compartments, 24" cabinet base, (6) 12" x 20" x 2-1/2" deep total pan capacity, dual high output stainless steel steam generators, 235°F superheated steam, Smart Drain system & Powerflush, individual professional controls with 60 minute timer, buzzer for each compartment. & constant steam feature, staged water fill, split water line, single drain connection, stainless steel interior & exterior, dual delime ports, leveling feet, 18.1kW, UL EPH, cULus Listed

\$30,376.35 ea



\$31,493.54 ea



Cleveland Range 24CGA10.2 **Convection Steamer, Gas**

Steamcraft[®] Gemini[™] 10 Convection Steamer, pressureless, gas, 2 compartments with individual generators, (5) 12 x 20 x 2-1/2 pans/compartment capacity, SureCook controls, easyTimer 90-minute timer with dial and LED digital readout in minutes and seconds, includes SureCook load compensating thermostat, manual cooking mode and descale indicator. left-hand hinged door, controls on right, 1 standard treated & tap water connection, stainless steel construction, 6" adjustable legs with flanged feet, 144,000 BTU total

\$32,445.78 ea



\$27,377.78 ea



APW Wvott XTRM-3H **Conveyor Toaster**

Vulcan

C24GA6-PS

Convection Steamer, Gas

with Superheated Steam, 2 compartments on

stainless steel steam generator with Timed

Smart Drain & PowerFlush, auto blowdown.

professional controls with 60 minute timer.

steam featuret, split water line, stainless steel

BTU, CSA Flame, CSA Star, UL EPH Classified

buzzer for each compartment, & constant

X*Treme[™] Conveyor Toaster, electric, countertop, (800) slices/hour capacity, 3"H opening, 13"W belt, top & bottom heat controls, pre-heat convection system, variable speed, air cooled, stainless steel front, top, & sides, painted aluminum front corners, 1" adjustable legs, UL Sanitation, cULus





\$8,926.20 ea



\$31,828.74 ea

APW Wyott XTRM-1 **Conveyor Toaster**

Alto-Shaam

Smoker, Electric

Cook Hold Oven Cabinet

Halo Heat® Slo Cook Hold & Smoker

Oven, electric, 100 lb. capacity - (9)

sample bag each of cherry, hickory,

apple & maple wood chips, heavy-

duty stainless steel exterior with

shelves, 1 rib rack, 3-1/2" casters; 2

EcoSmart[®], cULus, UL EPH ANSI/NSF

4, CE, IPX3, EAC, TUV NORD, N11942

solid door, stainless steel wire

rigid, 2 swivel with brakes,

12" x 20" x 2-1/2" full-size pans,

simple controller, includes (1)

767-SK

X*Press Conveyor Toaster, electric, countertop, (350) slices/hour capacity, 1-1/2"H opening, 10"W belt, metal sheathed heating elements, variable speed, power saving switch, stainless steel housing, painted aluminum front corners, 1" adjustable legs, UL Sanitation, cULus

\$2,128.89 ea

QCS1-350 **Conveyor Toaster**

Star

Holman QCS[®] Conveyor Toaster, electric, 350 slices/hr., horizontal conveyor, analog speed control, standby switch, top & bottom quartz sheathed heater elements, 1-1/2" opening x 10" W belt (2 slices) with loading rack, stainless steel construction with smooth cool touch exterior, cULus, UL **EPH Classified**

Alto-Shaam 1767-SK **Cook Hold Oven Cabinet** Smoker, Electric

Halo Heat[®] Slo Cook Hold & Smoker Oven. electric, double-deck, standard depth, 100 lb. capacity each - (1) rib rack shelf per compartment, (9) 12" x 20" full-size pans, simple controller, includes (1) sample bag each of cherry, hickory, apple & maple wood chips, heavy-duty stainless steel construction with solid door. 5" casters: 2 rigid, 2 swivel with brakes, EcoSmart®, cULus, UL EPH ANSI/NSF 4, CE, IPX4, EAC, TUV NORD

True Mfg. - General Foodservice GDM-07F-HC~TSL01 **Counter Freezer**

Freezer Merchandiser, countertop, True standard look version 01, (3) shelves, -10°F, (1) triple-pane thermal glass hinged door, LED interior lights, powder coated steel exterior, white interior with stainless steel floor, 2-1/2" legs, R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1-ph, 2.9 amps, NEMA 5-15P, cULus, UL EPH Classified, CE, Made in USA, ENERGY STAR®



Cres Cor 501D **Dish Cart / Dolly**

Dish Dolly, poker chip style, with two adjustable adapters, 4 section platform, compartments without adjustable adapters hold 9-7/8" to 10-3/4" dishes, compartments with adjustable adapters hold 4" to 7-1/4" dishes, CSA-Sanitation



True Mfg. - General Foodservice GDM-07-S-HC~TSL01 **Counter Refrigerator**

Made in USA, ENERGY STAR®

Quick Ship - Poker Chip Dish Dolly, 26-

5/8"W x 26-5/8"D x 31-15/16"H,

two-handed access, recessed

adjustable, dish size 4-1/4" to 11-

3/4", removable dividers & towers,

handles, 5"Dia. swivel casters with

neoprene wheels (2 with brakes),

chip-resistant polymer shell with Microban[®] antimicrobial protection,

aesthetic blue, vinyl dust/water

splash cover, NSF

Refrigerated Merchandiser, countertop, True standard look version 01, (3) shelves, (1) Low-E thermal glass hinged door, LED interior lighting, door sign decal, stainless steel exterior, white aluminum interior with stainless steel floor, 2-1/2" legs, R290 Hydrocarbon refrigerant, 1/6 HP, 115v/60/1-ph, 1.9 amps, NEMA 5-15P, cULus, UL EPH Classified, CE,

Metro

PCD11A

Dish Cart / Dolly

\$2,908.86 ea

\$13,934.64 ea



\$1,071.84 ea



\$1,387.15 ea



\$7,612.84 ea



\$4,664.25 ea

Conveyor Dishwasher, Advansys model, single tank, (202) racks/hour, insulated hinged doors, .62 gallon/rack, stainless steel enclosure panels, microprocessor controls with low temperature & dirty water indicators, NSF Pot & Pan mode, programable de-lime notification, 30 kW stainless booster, energy recovery (DWER), automatic soil removal (ASR), drain water tempering kit, ENERGY STAR*, Free factory startup for installations within a 100 mile radius of a Hobart service office; installation beyond 100 miles will be charged at the quoted rate by the local Hobart service office

\$50,206.80 ea

\$94,658.76 ea

Hobart CLPS86EN-BAS+BUILDUP Dishwasher, Conveyor Type

Conveyor Dishwasher, (2) tank with a Power Scrapper, (342) racks/hour, insulated hinged doors, .39 gallon/rack, stainless steel enclosure panels, microprocessor controls with low temperature & dirty water indicators, NSF Pot & Pan mode, programable de-lime notification, power scrapper vent cowl curtain kit, ENERGY STAR*, Free factory startup for installations within a 100 mile radius of a Hobart service office; installation beyond 100 miles will be charged at the quoted rate by the local Hobart service office

Champion DH-2000 (40-70) Dishwasher, Door Type

Versa-Clean Dishwasher, door type, high temperature with built-in 40° & 70° F rise electric booster, self-draining pump, 55 racks/hour capacity, auto-fill, stainless steel construction, electric tank heat, NSF, cULus, 1hp





Hobart LXEH-2 Dishwasher, Undercounter

LXe Dishwasher, undercounter, 23-15/16"W x 25-9/16"D x 32-15/16"H, high temperature sanitizing, 120/208-240(3W)/60/1-ph, accommodates optional two-level racking accessory, (32) racks/hr, fresh water rinse, .74 gal/rack, delime notification, auto chemical priming, service diagnostics, detergent & rinse aid pump, cULus, NSF, ENERGY STAR®



Hobart CLPS66EN-ADV+BUILDUP Dishwasher, Conveyor Type

Conveyor Dishwasher, Advansys model, single tank with a Power Scrapper, (202) racks/hour, insulated hinged doors, .62 gallons/rack, stainless steel enclosure panels, microprocessor controls with low temperature & dirty water indicators, NSF Pot & Pan mode, programable de-lime notification, power scrapper vent cowl curtain kit, 30 kW stainless booster, energy recovery (DWER), automatic soil removal (ASR), drain water tempering kit, ENERGY STAR®, Free factory startup for installations within a 100 mile radius of a Hobart service office; installation beyond 100 miles will be charged at the quoted rate by the local Hobart service office

Hobart AM15-2 Dishwasher, Door Type

Dishwasher, door type, hot water/chemical sanitizing, 58-65 racks/hour, straight-thru or corner, solid-state controls with digital status, with booster heater, electric tank heat, PRV included, auto-fill, stainless steel tank, frame, doors & feet, 208-240/60/3, 5 kW (machine); 208-240/60/3, 5 kW (booster) ENERGY STAR®

Hobart AM15VL-2 Dishwasher, Door Type, Ventless

Advansys Ventless Dishwashing Machine, door type, energy recovery, hot water sanitize, internal condensing system, 40 racks/hr, straight-thru or corner installation, solid-state controls with digital status, Sense-A-Temp¹¹⁴ 70°F rise booster heater, self-draining stainless steel pump & impeller, electric tank heat, automatic fill, revolving upper and lower wash arms & rinse arms, automatic drain closure, scrap screen and basket, door actuated start, stainless steel tank, tank shelf, chamber, trim panels, frame & feet, 208-240v/60/3-ph, cULus, NSF, ENREGY STAR[®], Free factory startup for installations within a 100 mile radius of a Hobart service office; installation beyond 100 miles will be charged at the quoted rate by the local Hobart service office

\$69,174.00 ea

\$15,362.76 ea



\$19,462.80 ea



Hobart \$9,933.00 ea LXER-2 Dishwasher, Undercounter

Advansys[™] Dishwasher, undercounter, 120/208-240(3W)/60/1, accommodates optional two-level racking accessory, 23-15/16"W x 26-13/16"D x 32-1/2"H, high temperature sanitizing, Energy Recovery, 30, 24, 13 Racks/Hour, Fresh Water Rinse, .62 gal/rack, Automated Delime Cycle, 3 selectable cycles - light, normal, heavy (Pot & Pan cycle on heavy cycle), Advanced Service Diagnostics, , Detergent, Rinse Aid & Delimer Pump, cULus, ENERGY STAR[®], Free factory startup for installations within a 100 mile radius of a Hobart service office; installation beyond 100 miles will be charged at the quoted rate by the local Hobart service office \$10,670.52 ea



Hobart LXEC-3 Dishwasher, Undercounter

Dishwasher, undercounter, 23-15/16"W x 25-9/16"D x 32-1/2"H, low temperature chemical sanitizing, 120v/60/1-ph, accommodates optional two-level racking accessory, (34) racks/hr, fresh water rinse, .74 gal/rack, delime notification, auto chemical priming, service diagnostics, detergent, rinse aid & sanitizer pumps,. cULus, NSF, ENERGY STAR®



\$9,028.32 ea

\$8,507.31 ea

\$9,028.32 ea

Champion UH130B Dishwasher, Undercounter

Dishwasher, undercounter, 24"W x 25"D x 33-3/4"H, high temperature sanitizing, with StemsSureTM soft start to protect glasses & dishes from chipping & breaking, (25) racks per hour capacity, 141 second cycle, top mounted controls with prime switch, 15-3/4"H door opening, door safety switch, advanced digital thermometer monitoring, stainless steel top & side panels, quiet double-wall construction, detergent & rinse aid pumps, pumped drain, built-in electric booster for 180°F final rinse water (standard 70°F/39°C rise), rinse sentry – extends the cycle time to ensure 180°F final rinse, low-water tank heat protection, automatic tank fill, (1) peg rack, (1) flat rack, 1 HP wash pump motor, fill & dump operation, Shear Energy – a reduction in energy requirements while maximizing performance, Multi-Power – includes: Multi-V01& Multi-Phase (Allows for infield conversion to 208-240 volt and/or single to three phase with ease), NSF, cETLus

Champion UH330B Dishwasher, Undercounter

Dishwasher, undercounter, 24"W x 26-3/4"D x 33-3/4"H, high temperature sanitizing, with Heat Recovery Condensate Removal, Dry Assit & StemsSure" soft start to protect glasses & dishes from chipping & breaking, (24) racks per hour capacity, 150 second cycle, top mounted precise digital temperature display & Vari-cycle controls, 14-3/4"H door opening, stainless steel top & side panels, insulated booster & panels, detergent & rinse aid pumps, automatic drain cycle, pumped drain, built-in electric booster for 180°F final rinse water (standard 0°F/39°C rise), rinse sentry – extends the cycle time to ensure 180°F final rinse, (1) peg rack, (1) flat rack, 1 HP wash pump motor, Multi-Power – includes: Multi-Volt & Multi-Phase (Allows for infield conversion to 208-240 volt and/or single to three phase with ease), NSF, CETLus, ENERGY STAR[®]

Dishwasher, Undercounter

(14" LEG STAND) Advansys™ Undercounter Dishwasher/Glasswasher with Energy Recovery,

Racks/Hour, Fresh Water Rinse, Steam

Hot Water Sanitation, .62 gal per rack, 30 or 24

Elimination, Auto Delime notification & cycle.

Auto Chemical Priming, with detergent, rinse

\$6,643.77 ea

Page 14 of 51

\$9,303.42 ea



\$9,679.32 ea



.

\$5,807.82 ea



Champion UH230B Dishwasher, Undercounter

Dishwasher, undercounter, 24"W x 25"D x 33-3/4"H, high temperature sanitizing, with StemsSure" soft start to protect glasses & dishes from chipping & breaking, (40) racks per hour capacity, 90 second cycle, top mounted controls with prime switch, 15-3/4"H door opening, door safety switch, advanced digital thermometer monitoring, stainless steel top & side panels, quiet double-wall construction, detergent & rinse aid pumps, automatic drain cycle, pumped drain, built-in electric booster for 180"F final rinse water (standard 70°F/39°C rise), rinse sentry – extends the cycle time to ensure 180°F final rinse, low-water tank heat protection, automatic tank fili, (1) peg rack, (1) flat rack, 1 HP wash pump motor, Water pressure regulating valve (unmounted). Shear Energy – a reduction in energy requirements while maximizing performance, Multi-Power – includes: Multi-VDit & Multi-Phase (Allows for infield conversion to 208-240 volt and/or single to three phase with ease), NSF, cETLUS, ENERGY STAR*



Hobart LXEC-3 Dishwasher, Undercounter

Dishwasher, undercounter, 23-15/16"W x 25-9/16"D x 32-1/2"H, low temperature chemical sanitizing, 120v/60/1-ph, accommodates optional two-level racking accessory, (34) racks/hr, fresh water rinse, .74 gal/rack, delime notification, auto chemical priming, service diagnostics, detergent, rinse aid & sanitizer pumps,. cULus, NSF, ENERGY STAR®



Hobart LXGEPR-1 Dishwasher, Undercounter

(14" LEG STAND) Advansys™ Undercounter Dishwasher/Glasswasher with Puri Rinse, Cold Water Sanitation, 1.14 gal per rack, 38 or 29 Racks/Hour, Auto Delime notification & cycle, Auto Chemical Priming, with detergent, rinse aid, sanitizer & delime Pumps, 2 Programmable Cycles, Advanced Service Diagnostics, electric tank heat, 120/60/1, Free factory startup for installations within a 100 mile radius of a Hobart service office; installation beyond 100 miles will be charged at the quoted rate by the local Hobart service office



\$8,779.68 ea

Turbo Air TIDC-26W-N Display Case, Dipping Ice Cream

Ice Cream Dipping Cabinet, 26"W x 26-1/8"D x 51"H, (4) 3 gallon tub capacity, (0) storage, (1) standard ABS night cover, (1) stainless steel shelf, LED lighting for interior canopy, manual defrost, PE coated removable magnetic frost shields, white exterior color, R290 Hydrocarbon refrigerant, 1/3 HP, 115v/60/1-ph, 1.9 amps, NEMA 5-15P, cETLus, ETL-Sanitation

aid & delime pumps, 2 Programmable Cycles, Advanced Service Diagnostics, electric tank heat, 120/208-240(3W)/60/1, ENERGY STAR®, Free factory startup for installations within a 100 mile radius of a Hobart service office; installation beyond 100 miles will be charged at the quoted rate by the local Hobart service

office

Hobart

LXGER-1

Turbo Air TIDC-47W-N Display Case, Dipping Ice Cream

Ice Cream Dipping Cabinet, 47"W x 26-1/8"D x 50-7/8"H, (8) 3 gallon tub capacity, (4) storage, (2) standard ABS night covers, (2) stainless steel shelves, LED lighting for interior canopy, manual defrost, PE coated removable magnetic frost shields, white exterior color, R290 Hydrocarbon refrigerant, 1/2 HP, 115v/60/1-ph, 4.6 amps, NEMA 5-15P, cETLus, ETL-Sanitation

Hatco GRHW-1SGDS Display Case, Hot Food, Countertop

Glo-Ray[®] Display Warmer, countertop unit with slanted heated hardcoated base & heated glass shelf, infrared top heat, buffet style sneeze guard, lighted rocker switch, 1330 watts, cULus, UL EPH Classified, Made in USA

\$8,476.44 ea

TIDC-70W-N Display Case, Dipping Ice Cream

Turbo Air

Ice Cream Dipping Cabinet, 68"W x 26-1/8"D x 50-7/8"H, (12) 3 gallon tub capacity, (8) storage, (2) standard ABS night covers, (3) stainless steel shelves, LED lighting for interior canopy, manual defrost, PE coated removable magnetic frost shields, white exterior color, R290 Hydrocarbon refrigerant, 1 HP, 115v/60/1-ph, 6.7 amps, NEMA 5-15P, cETLus, ETL-Sanitation

Hatco FSD-1-120-QS Display Case, Hot Food, Countertop

(QUICK SHIP MODEL) Flav-R-Savor® holding & display cabinet, (1) door, (3) tier circle rack with motor, LED lighting, with 6 ft cord & plug, 1414 watts, 120v/60/1-ph, 11.8 amps, CE, cULus, UL EPH Classified, Made in USA

\$3,229.80 ea



Hatco FSDT-1X Display Case, Hot Food, Countertop

Flav-R-Savor[®] holding & display cabinet, (1) door, (4) tier pan rack without motor, LED lighting, with 6 ft cord & plug, 1440 watts, CE, cULus, UL EPH Classified, Made in USA

\$3,155.40 ea

\$17,049.69 ea

\$3,079.20 ea



Structural Concepts CGS2830 Display Case, Non-Refrigerated Countertop

Impulse[®] Service/Self-Service Non-Refrigerated Display Case, countertop, 28-1/8"W, straight front glass & ends, (3) lighted metal shelves, top light, clear glass rear swinging doors, black interior & exterior, cETLus, ETL-Sanitation \$4,188.35 ea

CG\$3830

\$3,476.42 ea

Structural Concepts HMG6353R Display Case, Refrigerated Bakery

Harmony[®] Service Refrigerated Case, 62-5/8"W, Breeze with EnergyWise self-contained refrigeration system with evaporator pan, curved lift-up front glass, (3) lighted glass shelves, top light, sliding glass rear doors, black interior, black trim, (2) full end panels with mirror, CETLus, ETL-Sanitation



Turbo Air TSSC-4 Display Case, Refrigerated Sushi

Sushi Display Case, 48"W, prepiped for remote refrigeration, 304 stainless steel with mirror finish, removable tempered glass, rear doors, stainless steel removable shelves, water drain hole for easy cleaning, ANSI approved, NSF



\$11,781.85 ea

Page 16 of 51 **Turbo Air** Turbo Air \$3,848.36 ea \$4,207.38 ea TSSC-5 TSSC-6 **Display Case, Refrigerated Sushi Display Case, Refrigerated Sushi** Sushi Display Case, 60"W, pre-Sushi Display Case, 72"W, prepiped for remote refrigeration, piped for remote refrigeration, 304 stainless steel with mirror 304 stainless steel with mirror finish, removable tempered finish, removable tempered glass, rear doors, stainless glass, rear doors, stainless steel removable shelves, water steel removable shelves, water drain hole for easy cleaning, drain hole for easy cleaning, ANSI approved, NSF ANSI approved, NSF Salvajor Salvajor \$2,253.26 ea \$2,992.94 ea 200 300 Disposer Disposer Disposer, basic unit only, 2 Hp Disposer, basic unit only, 3 Hp motor, single support leg, heat motor, heat treated aluminum treated aluminum alloy alloy housing, UL, CSA, CE housing, UL, CSA, CE JOR SALVAJOR Salvajor Salvajor 500 \$4,096.94 ea 150 \$1,483.78 ea Disposer Disposer Disposer, basic unit only, 1-1/2 Disposer, basic unit only, 5 Hp motor, single support leg, heat Hp motor, heat treated treated aluminum alloy aluminum alloy housing, UL, housing, UL, CSA, CE CSA, CE SALVAJOR Salvajor Salvajor \$2,610.00 ea \$1,008.00 ea ARSS MRSS-LD **Disposer Control Panel Disposer Control Panel** Start/stop push button, Start/Stop Push Button, manual 6 drain/flush/time delay, reversing control with safety automatic reversing & water line disconnect, NEMA 4 saving control, NEMA 4 stainless steel enclosure stainless steel enclosure (**Effective 6-1-17 all MRSS SALVA JOE control panel dimensions will RSS CONTRO be 9-1/4" x 10-1/4" x 5-

7/16"**)

True Mfg. - General Foodservice TDR48-RISZ1-L-B-SS-1 **Draft Beer Cooler**

Refrigerated Draft Bar Cooler, two-section, 48"W, side mounted self-contained refrigeration, stainless steel countertop, (2) solid hinged doors (locking), (1) 3" dia. insulated beer column with single faucet draft arm and 2-way manifold, (1) 15" surface mounted drip tray, LED interior lighting, black powder coated exterior, stainless steel interior sides & floor. R290 Hvdrocarbon refrigerant, 1/5 HP. 115v/60/1-ph, 1.8 amps, NEMA 5-15P, cULus, UL EPH Classified, Made in USA

True Mfg. - General Foodservice TDD-2-HC **Draft Beer Cooler**

\$4,052.89 ea

\$3,849.38 ea

Draft Beer Cooler, (2) 1/2 keg

capacity, stainless steel counter top, (2) solid hinged doors with locks, LED interior light, (2) 3" dia. insulated beer columns with single faucet draft arm, black vinyl exterior, galvanized interior with stainless steel floor, R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1-ph, 2.8 amps, NEMA 5-15P, cULus, UL EPH Classified, Made in USA, ENERGY STAR®

True Mfg. - General Foodservice TDD-3-HC **Draft Beer Cooler**

Draft Beer Cooler, (3) 1/2 keg capacity, stainless steel counter top, (2) solid hinged doors with locks, LED interior light, (2) 3" dia. insulated beer columns with single faucet draft arm, black vinyl exterior, galvanized interior with stainless steel floor, R290 Hydrocarbon refrigerant, 1/4 HP 115v/60/1-ph, 2.8 amps, NEMA 5-15P, cULus, UL EPH Classified, Made in USA, ENERGY STAR®



Draft Beer Cooler, portable, 24"W, 7.66 cu. ft., door type, self-closing door with locks, self-contained refrigeration, one-keg capacity, 3" insulated tower with single faucet, black exterior, stainless steel top, galvanized interior, stainless steel floor, 4" casters, R290 Hydrocarbon refrigerant, 1/6 HP, cULus, UL EPH Classified, UL-Sanitation, Made in USA



\$2,349.66 ea

True Mfg. - General Foodservice TDD-1-S-HC **Draft Beer Cooler**

Draft Beer Cooler, 23-1/2"W, (1) 1/2 keg capacity, stainless steel counter top, (1) door with lock, (1) column type beer faucet, stainless steel exterior, galvanized interior with stainless steel floor, castors, R290 Hydrocarbon refrigerant, 1/10 HP 115v/60/1-ph, 1.4 amps, NEMA 5-15P, cULus, UL EPH Classified, Made in USA, ENERGY STAR®

True Mfg. - General Foodservice TDD-2-S-HC **Draft Beer Cooler**

capacity, stainless steel counter top,

(2) solid hinged doors with locks, LED

beer columns with single faucet draft arm, stainless steel exterior,

interior light, (2) 3" dia. insulated

galvanized interior with stainless

refrigerant, 1/4 HP, 115v/60/1-ph,

Classified, Made in USA, ENERGY

STAR[®]

2.8 amps, NEMA 5-15P, cULus, UL EPH

steel floor, R290 Hydrocarbon

Draft Beer Cooler, (2) 1/2 keg

\$5,427.55 ea



True Mfg. - General Foodservice TDD-3-S-HC **Draft Beer Cooler**

Draft Beer Cooler, (3) 1/2 keg capacity, stainless steel counter top, (2) solid hinged doors with locks, LED interior light, (2) 3" dia. insulated beer columns with single faucet draft arm, stainless steel exterior, galvanized interior with stainless steel floor, R290 Hydrocarbon refrigerant, 1/4 HP 115v/60/1-ph, 2.8 amps, NEMA 5-15P, cULus, UL EPH Classified, Made in USA, ENERGY STAR[®]



Pitco Frialator SE14R **Electric Floor Fryer**

Solstice[™] Fryer, electric, floor model, full frypot, 40 - 50 lb. oil capacity, solid state controls, melt cycle, boil out capacity, drain valve interlock switch, stainless steel tank, front & sides, 22.0kW, ENERGY STAR®, cULus, NSF, CE, GS

\$8,885.85 ea

\$6,364.53 ea



\$3,494.84 ea





Hobart 84145-1 Electric Food Cutter

Kube Systems

KUBE 5 Electronics

Food Cutter with #12 attachment hub, 14" diameter stainless steel bowl 22 RPM, double stainless steel knives 1725 RPM, bowl cover with safety interlock, push/pull on/off switch, one-piece burnished aluminum housing, 3" legs, 115v/60/1-ph, 1/2 HP

Multi device charging solution

Includes (5) portable charging

connections & (2) USB ports

units (1) recharging tray

Includes (3) built-in



Hobart 84186-1 Electric Food Cutter

Food Cutter with #12 attachment hub, 18" diameter stainless steel bowl 20 RPM, double stainless steel knives 1725 RPM, bowl cover with safety interlock, push/pull on/off switch, one-piece burnished aluminum housing, 3" legs, 115v/60/1-ph, 1 HP, 6' cord with plug

Winholt Equipment EC1840-CTL Enclosed Mobile Cabinet Extra Heavy Duty

Enclosed Transport Cabinet, heavy duty, 21"W x 27"D x 68"H, reinforced aluminum construction with reinforced undercarriage, noninsulated, accommodates (40) 18" x 26" pans, double pan construction with reinforced braces, 1-1/2" runner spacing, solid door with reinforced hinges, 5" swivel plate casters with polyurethane tread, NSF

\$814.54 ea

Star

Star

[272kg]

STAND/HC-60

Equipment Stand, for

Ultra-Max[®] 60" Stand, with casters, stainless steel

construction, rated for 600 lbs.

Countertop Cooking

STAND/HC-36 Equipment Stand, for Countertop Cooking

Ultra-Max[®] 36" Stand, with casters, stainless steel construction, rated for 400 lbs. [181kg]

\$1,686.23 ea

\$2,314.66 ea

Star STAND/HC-48 Equipment Stand, for Countertop Cooking

Ultra-Max[®] 48" Stand, with casters, stainless steel construction, rated for 500 lbs. [226kg]

STAND/HC-72 Equipment Stand, for

Countertop Cooking

Star

Ultra-Max[®] 72" Stand, with casters, stainless steel construction, rated for 700 lbs. [317kg] \$2,738.39 ea

\$14,545.44 ea

\$10,721.76 ea

\$1,004.40 ea



300M Slicer Stand with Casters, classic Berkel red



\$3,762.64 ea

\$19,572.00 ea

Rancilio Group North America EGRO ONE-TOP MILK XP **Espresso Cappuccino Machine**

Egro ONE Top Milk XP, staff/self-service, super-automatic, 5.7" color touchscreen user interface, for up to 48 drink selections, (2) automatic foamer heads, includes milks pumps (for one type of milk), up to 250 milk drinks per hour, two-piece drink outlet, (2) grinders & hoppers, one-step cleaning, centralized hot water, Americano bypass single cup, USB port, ABS & stainless steel construction, CE, cETLus, ETL-Sanitation (CHOICE OF FRIDGE IS REQUIRED)

Rancilio Group North America EGRO ZERO+ QUICK MILK Espresso Cappuccino Machine

Egro ZERO+ Quick Milk, staff/self-service, super-automatic, 18 grams brewing group, 8 button backlit keypad user interface for up to 16 drink selections, (2) grinders & hoppers, centralized hot water, Americano bypass single cup, volumetric pump enables extra large drinks, LED illuminated work area, push-button automatic milk frothing & delivery via countertop Quick Milk fridge (1 gallon/0.3 cu. ft. capacity), 100 cups per day, painted steel & ABS construction

\$12,264.00 ea

Rancilio Group North America EGRO ONE-PURE COFFEE Espresso Cappuccino Machine

Egro ONE Pure Coffee Espresso Machine, staff operated, superautomatic, 5.7" color touchscreen user interface for up to 48 drink selections, iSteam intelligent steam wand, two-piece drink outlet, (2) grinders & hoppers, automatic daily cleaning, centralized hot water, Americano bypass single cup, USB port, ABS & stainless steel construction

Rancilio Group North America EGRO ZERO+ PURE COFFEE **Espresso Cappuccino Machine**

Egro ZERO+ Pure Coffee Espresso Machine, staff operated, super-automatic, 18 grams brewing group, 8 button backlit keypad user interface for up to 16 drink selections, (2) grinders & hoppers, centralized hot water, Americano bypass single cup, volumetric pump enables extra large drinks, (1) manual steam wand, LED illuminated work area, 100 cups per day, painted steel & ABS construction

Pitco Frialator D9109105 Fat Vat

Fat Vat, safe oil transport system holds 40 lb. (5.3 gallons)





\$401.22 ea

Maywood Furniture DPORIG60RD **Folding Table**

Original Folding Table, round top, 5/8" plywood top (edge to be specified), black powder coated chassis, 60" dia., 30" high, metal glide caps std.



Maywood Furniture DPORIG54RD **Folding Table**

Original Folding Table, round top, 5/8" plywood top (edge to be specified), black powder coated chassis, 54" dia., 30" high, metal glide caps std.

\$16,800.00 ea



\$10,668.00 ea



\$1,001.22 ea



\$378.07 ea



Maywood Furniture DPORIG72RD Folding Table

Original Folding Table, round top, 5/8" plywood top (edge to be specified), black powder coated chassis, 72" dia., 30" high, metal glide caps std.



Maywood Furniture \$524.67 ea DPORIG3048 Folding Table

Original Folding Table, rectangular top, 3/8" plywood top with aluminum flush edge, black powder coated chassis, 48" long, 30" wide, 30" high, metal glide caps std.



Maywood Furniture DPORIG3072 Folding Table

\$303.06 ea

Original Folding Table, rectangular top, 3/8" plywood top with aluminum flush edge, black powder coated chassis, 72" long, 30" wide, 30" high, metal glide caps std.



Berkel 250-STD Food Packaging Machine

Vacuum Packaging Machine, table model, single stainless steel chamber, size 14" x 15" x 4", 12-1/2" seal bar, 6cmh Busch pump, with double seal, 6' cord & plug, 1/2 HP, 115v/60/1-ph, 6.5 amps, cETLus, ETL-Sanitation \$9,130.28 ea



Berkel 350-STD Food Packaging Machine

Vacuum Packaging Machine, table model, single stainless steel chamber, size 20" x 18" x 6.8", 19" seal bar, 21cmh Busch pump, with electric cut-off & gas flush, 6' cord & plug, 1-1/4 HP, 115v/60/1-ph, 14.2 amps, cETLus, ETL-Sanitation



Wells SW-10T Food Pan Warmer, Countertop

Food Warmer, countertop, electric, 11 quart round pan, wet/dry operation, thermostatic controls, stainless steel construction, 120v/60/1-ph, 0.83kW, 6.9 amps, NEMA 5-15P, UL



APW Wyott RCW-7SP Food Pan Warmer/Cooker, Countertop

Food Pan Cooker/Warmer, electric, countertop, round, 7 quart capacity, wet & dry operation, thermostatic controls, includes: 7 quart inset, ladle & cover, stainless steel well & housing, 120v/60/1-ph, 1000w, 8.3 amps, NEMA 5-15P, cULuc, CE [service class A-2 business day lead time]



\$11,742.65 ea



Hobart FP100-1 Food Processor, Benchtop / Countertop

Food Processor - Unit Only, angled continuous feed design, half-size hopper, 11 lb per/min production cap., 420 rpm, stainless steel cutting surfaces, planetary gear transmission, triple safety interlocks, aluminum housing, rubber feet, 120/60/1, 1/3 HP, 3.5 amps, UL, NSF \$3,718.68 ea

\$396.55 ea



\$274.77 ea

Hobart FP250-1 Food Processor, Benchtop / Countertop

Food Processor - Unit Only, angled continuous feed design, full-size hopper, 17 lb per/min production capacity, 420 rpm, stainless steel cutting surfaces, planetary gear transmission, triple safety interlocks, aluminum housing, rubber feet, 120/60/1, 3/4 HP, 8.0 amps, UL, NSF

Robot Coupe R2U Food Processor, Benchtop / Countertop

Commercial Food Processor, 3 liter stainless steel bowl with handle, vegetable prep attachment with external ejection, kidneyshaped opening, includes: (1) "S" blade (27055), (1) 2mm grating disc (27577), (1) 4mm slicing disc (27566), continuous feed, bowl attachment designed for vertical cutting & mixing, on/off & pulse switch, single speed, 1725 RPM, 120v/60/1-ph, 7.0 amps, 1 HP, NEMA 5-15P, cETLus, ETL-Sanitation

Hobart HS8-1 Food Slicer, Electric

Heavy Duty Meat Slicer, manual, 13" CleanCut™ removable knife with removal tool, anodized finish with (6) interlocks, removable meat grip assembly, removable ring guard cover, single action top mounted sharpener with Borazon™ stones, cleaning kickstand, 1/2 hp motor, 5.4amps, 120v/60hz/1ph NSF cETLus



Centerline by Hobart Edge Series Slicer, manual, med duty, angle feed, 12" carbon steel knife, no volt release, poly-v belt drive, permanent ring guard, removable anodized aluminum carriage & knife cover, top mounted sharpener, anodized aluminum finish, 120v/60/1-ph, 4 amp, 1/2 hp, cETLus, NSF (NET)



\$1,598.39 ea

\$9,808.68 ea



Robot Coupe

D Series Combination Food Processor, 3.7 liter stainless steel bowl with handle, continuous feed kit with kidney shaped & cylindrical shaped hoppers, includes: (1) "S" blade (27286), (1) 2mm grating disc (27577), (1) 4mm slicing disc (27566), on/off & pulse switch, single speed, 1725 RPM, 120v/60/1-ph, 9.0 amps, 1-1/2 HP, NEMA 5-15P, cETLus, ETL-Sanitation

Hobart FP350-1 Food Processor, Benchtop / Countertop

Food Processor - Unit Only, angled continuous feed design, full-size hopper, 26 lb per/min production cap., 430 rpm, stainless steel cutting surfaces, planetary gear transmission, triple safety interlocks, aluminum housing, rubber feet, 120/60/1, 1 HP, 10 amps, UL, NSF

Hobart HS9-1 Food Slicer, Electric

Heavy Duty Meat Slicer, automatic, 13" CleanCut™ removable knife with removal tool, anodized finish with (6) interlocks, (3) stroke lengths & (4) stroke speeds, removable meat grip assembly, removable ring guard cover, product fence, single action top mounted sharpener with Borazon™ stones, manual lift lever, 1/2 hp motor, 120v/60hz/1-ph NSF cETLus

True Mfg. - General Foodservice GDM-49F-HC~TSL01 Freezer Merchandiser

Freezer Merchandiser, two-section, True standard look version 01, -10°F, (8) shelves, (2) triple-pane thermal glass hinged door, LED interior lights, powder coated steel exterior, white interior with stainless steel floor, R290 Hydrocarbon refrigerant, All Units Manufactured Before April 4th, 2021 are pre-wired at the factory and is ready for final connection to a single 115/208-230/60Hz single phase, NEMA 14-20R dedicated outlet. All Units Manufactured After April 4th, 2021 are pre-wired at the factory and is ready for final connection to a single 115/60Hz single phase, NEMA 5-20R dedicated outlet. ***Please contact the factory to verify your unit's electrical specifications***, cULus, UL EPH Classified, Made in USA, ENERGY STAR® -----

\$9,355.92 ea

\$14,344.68 ea





\$1,948.72 ea







True Mfg. - General Foodservice GDM-26F-HC~TSL01 Freezer Merchandiser

Freezer Merchandiser. onesection, True standard look version 01, -10°F, (4) shelves, (1) triple-pane thermal glass hinged door, LED interior lights, powder coated steel exterior, white interior with stainless steel floor, R290 Hydrocarbon refrigerant, 1 HP, 115v/60/1-ph, 9.5 amps, NEMA 5-15P, cULus, UL EPH Classified, Made in USA

BUNN

34000.0012 Frozen Drink Machine, Non-Carbonated, Bowl Type

34000.0012 ULTRA-2 Ultra Gourmet Ice[®] Frozen Drink Machine, counter model, (2) 3 gallon hoppers, internally monitored refrigeration system, touchpad display, reversing auger design freeze time & reduces air mixing, flat lid, stainless steel & white decor, cord attached, 120v/60/1-ph, 12amps, NEMA 5-15P, NSF, ETL

Pitco Frialator SE14RS-1FD Fryer Battery, Electric

Solstice[™] Prepackaged Fryer System with Solstice[™] Solo Filter System, High Power, electric, (1) 40-50 lb. oil capacity full tank, solid state controls, boil out, drain valve interlock, melt cycle, stainless steel tank, front & sides, underfryer drawer filtration, 22.0kW (-F), ENERGY STAR[®], cULus, NSF, CE, GS

Pitco Frialator SG14RS-2FD Fryer Battery, Gas

Solstice[™] Prepackaged Fryer System with Solstice[™] Filter Drawer System, High Power, gas, (2) 50 lb. oil capacity full tanks, millivolt control, stainless steel tank, front & sides, under-fryer drawer filtration, total 244,000 BTU (-FF), NSF, CE, CSA Flame, CSA Star, AuGA

\$18,942.57 ea

\$26,909.24 ea



\$2,200.41 ea

BUNN 34000.0080 Frozen Drink Machine, Non-Carbonated, Bowl Type

Frost Top / Cold Slab, Drop In

Frost Top Drop-In Unit, self-

19-1/2"D frost top, 14/304

stainless steel, with on/off

switch & pilot light, 18 gauge

galvanized steel outer case, 41-

3/4" x 22-1/4" cutout required,

contained refrigeration, 39"W x

Atlas Metal

WF-3

UL, NSF

34000.0080 ULTRA-2 High Performance Ultra Gourmet Ice[®] Frozen Drink Machine, counter model, (2) 3 gallon hoppers, internally monitored refrigeration system, touchpad display, reversing auger design freeze time & reduces air mixing, black decor, cord attached, 120v/60/1-ph, 12amps, NEMA 5-15P, NSF, ETL

Pitco Frialator SG14RS-1FD Fryer Battery, Gas

Solstice[™] Prepackaged Fryer System with Solstice[™] Solo Filter System, High Power, gas, (1) 40-50 lb. oil capacity full tank, millivolt control, stainless steel tank, front & sides, under-fryer drawer filtration, 10" adjustable legs, 122,000 BTU (-F), NSF, CE, CSA Flame, CSA Star, AuGA

Pitco Frialator RP14 Fryer Filter, Mobile

Fryer Filter, mobile, 55 lb. oil capacity, 18 gauge stainless steel lift-cover, low-profile design, with pump & hose assembly, stainless steel, for use with all 14 size fryers, reversible pump, CSA Flame, CSA Star, NSF, UL, CE

\$2,252.28 ea



\$18,005.31 ea



\$4,606.32 ea



\$5,241.85 ea







\$5,925.05 ea

Innovative Hospitality Concepts INN302GD-FRAMELESS GUESTROOM REFRIGERATOR

Frameless Glass door 30 liter capacity refrigerator Glass shelves with chrome trim Black exterior finish and black interior finish Internal Light Dimension: 19.7"H x 15.8"W x 16.5"D Per standard specs



\$224.90 ea

Gas Floor Fryer

SG14R-S

Pitco Frialator

Essentials Fryer, Solstice[™] Fryer, gas, floor model, full frypot, 40-50 lb. oil capacity, millivolt control ONLY, includes drain line cleanout rod & drain extension, stainless steel tank, front, door & sides, 122,000 BTU, NSF, CE, CSA Flame, CSA Star, AuGA (free standing, stand alone only fryer - special price) (Cannot be configured for use with other controllers, accessories or options)

Bar Maid/Glass Pro GP-100 Glass Polisher

Bar Maid® Glass Polisher, (350) glass capacity per hour, warm air blower tube, (5) removable microfiber twine polishing heads, built in handles, 1.35kW, 110v/60/1ph, cETLus

\$7,494.57 ea

\$1,447.78 ea



\$3,164.86 ea





\$489.57 ea



Pitco Frialator SG14-S Gas Floor Fryer

\$5,950.32 ea

\$2,823.23 ea

\$3,384.64 ea

Essentials Fryer, Solstice™ Fryer, gas, floor model, full frypot, 40-50 lb. oil capacity, millivolt control ONLY, includes drain line cleanout rod & drain extension, stainless steel tank, front, door & sides, 110,000 BTU, NSF, CE, CSA Flame, CSA Star, AuGA (free standing, stand alone only fryer - special price) (Cannot be configured for use with other controllers, accessories or options)

Beverage Air GF24HC-B Glass and Plate Chiller

Glass Froster, underbar model, 24-1/8"W, 33-1/2"H, 4.0 cu. ft., top opening with (1) sliding door lid, (2) shelves & bottom rack, (2) shelf ledges with (3) mounting points, adaptive defrost, 0° F operating temperature, stainless top, black painted steel exterior, galvanized steel interior, self-contained refrigeration, 1/2 HP, cULus, UL EPH Classified, UL-Sanitation, Made in USA



Beverage Air GF48HC-B Glass and Plate Chiller

Glass Froster, underbar model, 48"W, 33-5/8"H, 9.65 cu. ft., top opening with (2) sliding door lids, (4) shelves, (2) bottom racks, (2) shelf ledges with (3) mounting points, adaptive defrost, 0° F operating temperature, stainless top, black painted steel exterior, galvanized steel interior, self-contained refrigeration, 1/2 HP, cULus, UL EPH Classified, UL-Sanitation, Made in USA



Beverage Air GF34HC-B Glass and Plate Chiller

Glass Froster, underbar model, 34"W, 33-5/8"H, 6.4 cu. ft., top opening with (1) sliding door lid, (2) shelves & bottom rack, (2) shelf ledges with (3) mounting points, adaptive defrost, 0° F operating temperature, stainless top, black painted steel exterior, galvanized steel interior, self-contained refrigeration, 1/2 HP, cULus, UL EPH Classified, UL-Sanitation, Made in USA

Bar Maid/Glass Pro A-200 Glasswasher, Brush Type

Bar Maid® Glass Washer, upright, electric, 1/3 HP, (5) brushes ((4) 6" & (1) 7-1/2"), continuous run, enclosed motor with sealed lower bearings & splashguard canopy, stainless steel construction, 115v/60/1-ph, includes: GFI plug, ETLus, Two year warranty with registration Made in USA

Champion CG

Vulcan

RRE36E

Glasswasher, Undercounter / Underbar

Glasswasher, underbar type, low temperature chemical sanitizing, rotary conveyor design, 25-1/4" cabinet, clockwise rotation, stainless steel construction, access door on front, approx 1000 2-1/2" glasses/hr



\$8,803.98 ea

\$10,419.05 ea

\$10,090.90 ea

Rapid Recovery[™] Heavy Duty Griddle, electric, countertop, 36" W x 24" D cooking surface, 3/4" thick composite griddle plate with stainless steel cooking surface, bottom mounted snap action thermostat every 12", stainless steel front, sides, front top ledge, front grease trough, 4" back & tapered side splashes, 4" adjustable legs, cCSAus, NSF

Griddle, Electric, Countertop



Vulcan 936RX Griddle, Gas, Countertop

Heavy Duty Griddle, countertop, gas, 36" W x 24" D cooking surface, 1" thick polished steel griddle plate, embedded mechanical snap action thermostat every 12", millivolt pilot safety, electric spark or manual ignition, front manifold gas shut-off valve, low profile, stainless steel front, sides, front grease trough, 4" back & tapered side splashes, 4" adjustable legs, 81,000 BTU, CSA, NSF



Vulcan 960RX Griddle, Gas, Countertop

Heavy Duty Griddle, countertop, gas, 60" W x 24" D cooking surface, 1" thick polished steel griddle plate, embedded mechanical snap action thermostat every 12", millivolt pilot safety, electric spark or manual ignition, front manifold gas shut-off valve, low profile, stainless steel front, sides, front grease trough, 4" back & tapered side splashes, 4" adjustable legs, 135,000 BTU, CSA, NSF

\$13,672.71 ea



Champion CG4 Glasswasher, Undercounter / Underbar

Glasswasher, straight conveyor, underbar type, low temperature chemical sanitizing, polypropylene conveyor with glass activated on/off stop, 48" cabinet, specify left-to-right or right-toleft, stainless steel construction, approx 2000 2-1/2" glasses/hr

Vulcan RRE48E Griddle, Electric, Countertop

Rapid Recovery[™] Heavy Duty Griddle, electric, countertop, 48" W x 24" D cooking surface, 3/4" thick composite griddle plate with stainless steel cooking surface, bottom mounted snap action thermostat every 12", stainless steel front, sides, front top ledge, front grease trough, 4" back & tapered side splashes, 4" adjustable legs, cCSAus, NSF



Vulcan 948RX Griddle, Gas, Countertop

Heavy Duty Griddle, countertop, gas, 48"W x 24"D cooking surface, 1" thick polished steel griddle plate, embedded mechanical snap action thermostat every 12", millivolt pilot safety, electric spark or manual ignition, front manifold gas shut-off valve, countertop, low profile, stainless steel front, sides, front top ledge with "Cool Bullnose", front grease trough, grease can, heavy gauge 4" back & tapered side splashes. 4" adjustable legs, 108,000 BTU, CSA, NSF






Vulcan 972RX Griddle, Gas, Countertop

Heavy Duty Griddle, countertop, gas, 72" W x 24" D cooking surface, 1" thick polished steel griddle plate, embedded mechanical snap action thermostat every 12", millivolt pilot safety, electric spark or manual ignition, front manifold gas shut-off valve, low profile, stainless steel front, sides, front grease trough, 4" back & tapered side splashes, 4" adjustable legs, 162,000 BTU, CSA, NSF



\$15,606.75 ea

\$12,322.20 ea



Prices are estimates for budgeting purposes.

Absocold ARD104AB21R/L **Guestroom Refrigerator**

1.1 CE SINGLE DOOR - AUTO -DEFROST FINISH; BLACK



Danby DAR023C1BDB **Guestroom Refrigerator**

Compact all refrigerator 2.3 cu. ft. capacity Auto Defrost **Exterior Finish: Black** Dimension: 18-11/16" W x 17-10-16"D x 25-1/16"H



Vulcan V4B36 HD Range, 36", 4 Open Burners

V Series Heavy Duty Range, gas, 36", modular, (4) 35,000 BTU open burners, cast iron grates, stainless steel front, front top ledge, sides, base, burner box & stub back, 4" flanged feet, 140,000 BTU, CSA, NSF

\$7,429.13 ea

\$254.80 ea

V4B36C HD Range, 36", 4 Open Burners

Vulcan

\$16,845.22 ea



Vulcan

V6B36S HD Range, 36", 6 Open Burners

V Series Heavy Duty Range, gas, 36", (6) 35,000 BTU open burners, cast iron grates, standard oven, stainless steel front, front top ledge, sides, base, burner box & stub back, 6" adjustable legs, 260,000 BTU, CSA, NSF



Vulcan VGMT36S HD Range, 36", Thermostatic Griddle

V Series Heavy Duty Range, gas, 36", griddle, 3/4" thick polished steel plate, snap action thermostatic controls, standard oven, stainless steel front, top front ledge, sides, base, burner box & stub back, 6" adjustable legs, 140,000 BTU, CSA Flame, CSA Star, NSF

\$14,254.46 ea

\$12,452.31 ea



Vulcan V6B36C HD Range, 36", 6 Open Burners

V Series Heavy Duty Range, gas, convection oven, stainless steel front, front top ledge, sides, base, burner box & stub back, 6" adjustable legs, 242,000 BTU, CSA, NSF

\$16,845.22 ea

VALL CA

Vulcan VGMT36S HD Range, 36", Thermostatic Griddle

V Series Heavy Duty Range, gas, 36", griddle, 3/4" thick polished steel plate, snap action thermostatic controls, standard oven, stainless steel front, top front ledge, sides, base, burner box & stub back, 6" adjustable legs, 140,000 BTU, CSA Flame, CSA Star, NSF

\$14,254.46 ea



\$152.40 ea

V Series Heavy Duty Range, gas, 36", (4) 35,000 BTU open burners, cast iron grates, convection oven, stainless steel front, front top ledge, sides, base, burner box & stub back, 172,000 BTU, 6" adjustable legs, CSA, NSF

36", (6) 35,000 BTU open burners, cast iron grates,

\$214.80 ea

Vulcan VGMT36C HD Range, 36", Thermostatic Griddle

V Series Heavy Duty Range, gas, 36", griddle, 3/4" thick polished steel plate, snap action thermostatic controls. convection oven, stainless steel front, top front ledge, sides, base, burner box & stub back, 6" adjustable legs, 122,000 BTU, CSA Flame, CSA Star, NSF

\$20,006.70 ea

VULCAR

Elkay Foodservice Products EHS-18X Hand Sink

Economy Hand Sink, wall mount, 18"L x 14-1/2"W x 11"H, 5" deep, 6"H backsplash, 18 gauge stainless steel top & bowl, includes gooseneck faucet, Z-clip mounting bracket & 1-1/2" basket strainer (NET PRICE - No additional discount available)

Lakeside Manufacturing 9600 Handwashing System

\$4,907.87 ea

\$4,659.07 ea

\$7,914.31 ea

Hand Washing Station, mobile, cold water faucet. 5-gallon fresh water capacity. 7gallon waste water capacity, 10" x 12" x 5" sink bowl, chrome plated brass heavy duty faucet with on/off wrist blade controls, chrome plated soap dispenser, stainless steel sink & cabinet, locking door latch, 5" No-Mark® casters ((2) swivel with brakes, (2) fixed), corner bumpers, 10' cord, NEMA L5-15P, (water pump 115V/60/1-ph, .09amps), Made in USA



Lakeside Manufacturing 9610 Handwashing System

Deluxe Hand Washing Station, mobile, warm & cold water faucet, 2-1/2-gallon hot water heater, 10-gallon fresh water capacity, 14gallon waste water capacity, 10" x 12" x 5" sink bowl, chrome plated brass heavy duty faucet with on/off wrist blade controls, chrome plated soap dispenser, stainless steel sink & cabinet, locking door latch. 5" No-Mark® ((2) swivel with brakes. (2) fixed). cord. NEMA L5-15P. (water heater 120v/60/1-ph, 13.4 amps, 1500 watts), (water pump 115v/60/1-ph, .09 amps), Made in USA

\$7,233.81 ea

\$6,056.03 ea

Lakeside Manufacturing 9620 Handwashing System

Hand Washing Station, mobile, warm water faucet, 5-gallon fresh water capacity, 7gallon waste water capacity, 10" x 12" x 5" sink bowl, chrome plated brass heavy duty faucet with on/off wrist blade controls, chrome plated soap dispenser, stainless steel sink & cabinet, locking door latch, 5" casters ((2) swivel with brakes, (2) fixed), corner bumpers, 120v/60/1-ph, 2000 watts, 20amps, 10' cord & NEMA L5-20P, Made in USA



Carter-Hoffmann BB700 Heated Banquet Cart

EquaHeat[™] Banquet Cabinet, mobile, insulated, single door for pre-plated food, electric or canned heat, (60) covered 8-3/4" to 11" plates, stainless steel construction, 6" casters (2 swivel, 2 rigid), cUL, UL EPH



Carter-Hoffmann BB120 Heated Banquet Cart

Classic Carter[™] Banquet Cabinet, mobile, insulated, single door for pre-plated food, (144) covered plates up to 10.5" diameter, thermostatically controlled heat unit, without plate carriers, stainless steel construction, cUL, UL EPH (RapidShip)



Carter-Hoffmann BB1300 Heated Banquet Cart

EquaHeat[™] Banquet Cabinet, mobile, insulated, double door for pre-plated food, electric or canned heat, (120) covered 8-3/4" to 11" diameter plates, stainless steel construction, 6" casters (2 swivel, 2 rigid), cUL, UL EPH





Carter-Hoffmann BB1600 Heated Banquet Cart

EquaHeat[™] Banquet Cabinet, mobile, insulated, double door for pre-plated food, electric or canned heat, (150) covered 8-3/4" to 11" diameter plates, stainless steel construction, 6" casters (2 swivel, 2 rigid), cUL, UL EPH (RapidShip)



Carter-Hoffmann \$10,474.68 ea **BB96 Heated Banquet Cart**

Classic Carter[™] Banquet Cabinet, mobile, insulated, single door for pre-plated food, (120) covered plates up to 10.5" diameter, thermostatically controlled heat unit, without plate carriers, stainless steel construction, cUL, UL EPH



Carter-Hoffmann BB150 Heated Banquet Cart

\$6,539.17 ea

Classic Carter[™] Banquet Cabinet, mobile, insulated, single door for pre-plated food, (180) up to 10.5" diameter, thermostatically controlled heat unit, without plate carriers, stainless steel construction, cUL, UL EPH (RapidShip)



CD252H

Metro

C537-CFC-4

Cabinet, Mobile

Carter-Hoffmann Heated Dish Cart

Heated Dish Storage Cart, rotary design, enclosed type,

dish dividers for (252) 11" max

diameter plates, stainless steel

base & dividers, 5" casters

Heated Holding Proofing

C5[™] 3 Series Heated Holding &

Armour[™], mobile, 3/4 height,

Proofing Cabinet, with Red Insulation

insulated, clear polycarbonate door,

removable bottom mount control

module, thermostat to 200°F, fixed

wire slides on 3" centers (14) 18" x 26" or (26) 12" x 20" x 2 1/2" pan capacity, 5" casters (2 with brakes), aluminum, 120v/60/1 ph, 2000 watts, 16.7 amps, NEMA 5 20P,



Carter-Hoffmann CD260H **Heated Dish Cart**

Heated Dish Storage Cart, rotary design, enclosed type, dish dividers for (252) 12" max diameter plates, stainless steel base & dividers, 5" casters, cUL, NSF

\$5,039.06 ea



Carter-Hoffmann GC41 Herb & Microgreen Growing Cabinet

Gardenchef[™] Herb & Microgreen Growing Cabinet, automated growing system for lights, watering, monitoring pH & TDS levels, single door cabinet with (4) separate growing zones, touchscreen digital controls, 3/8" NPT drain & fill connections. stainless steel construction, 3" swivel casters (2 with brakes), 120v/60/1-ph, 4.4 amps, NEMA 5-15P, NSF, cULus, CE, Made in USA

\$13,271.70 ea



Spring USA HC380-CT Hot / Cold Server

cULus, NSF

Solstice Hot/Cold Server, 8 qt., 24"W x 18-9/10"D x 11-2/5"H, 27"H with oven cover, rectangular, includes: full size cast aluminum insert pan, easy view tempered glass hinged cover & electronic control panel, stainless steel titanium housing, temperature range: 23°F to 50°F & 120°F to 185°F, 110-120v/60/1-ph, 230 watts, 1.9 amps, NEMA 5-15P, ETL, UL, CSA, NSF





\$2,263.14 ea



\$5,279.16 ea

\$4,345.84 ea

Prices are estimates for budgeting purposes.

Star 175CBA Hot Dog Broiler / Rotisserie

(QUICK-SHIP) Star™ Broil-O-Dog Hot Dog Broiler, 36 dogs & 32 buns capacity, cradle style, over & under hot dog broiler, built-in pull out bun drawer, merchandiser design, glass front, stainless steel, cULus, UL EPH Classified, Made in USA or Dogs

\$2,428.03 ea

APW Wyott BC-50D Hot Dog Bun Box

Wells

SMPT-D

Hot Food Well

Hot Dog Bun Cabinet, 34-11/16", (144) bun capacity, drawer with sliding door, for use with both standard & slanted hotrod rolling grills, stainless steel construction, NSF \$995.65 ea



APW Wyott HR-50 Hot Dog Grill

\$2,611.94 ea

\$4,037.69 ea

X*PERT[™] HotRod[®] Hot Dog Grill, (11) chrome surface rollers, infinite controls, removable grease pan, stainless steel exterior, coated steel bottom, UL, CSA, NSF, CE



Food Warmer, countertop, electric, one 12" x 20" pan opening, drain, wet/dry operation, thermostatic controls, stainless steel construction, with cordset & 4" legs, UL \$684.34 ea



Atlas Metal WIH-4 Hot Food Well Unit, Drop-In, Electric

Hot Food Drop-In Well Unit, electric, 4-well, individual pan design, wet or dry operation, holds (4) 12" x 20" pans, control panel with individual thermostatic controls, stainless steel top & wells, galvanized outer liner, with fiberglass insulation, UL, ETL-Sanitation



Hoshizaki B-250PF Ice Bin for Ice Machines

\$850.91 ea

Ice Bin, 30"W, top-hinged frontopening door, 250 lb ice storage capacity, for topmounted ice maker, vinyl clad, painted legs included, protected with H-GUARD Plus Antimicrobial Agent, ETL, ETL-Sanitation



Follett Products, LLC DEV1080SG-60-125 Ice Bin Shuttle System

Ice-DevIce[™] with SmartCART[™] 125, 1080 lb. bin storage capacity, with front chute, poly liner, SmartGATE ice shield, poly door with PowerHinge[™] door hinge, full stainless steel exterior and base, ABS/poly top custom cut for ice machine, includes 82 oz plastic ice scoop, paddle and rake set, and (1) fully insulated polyethylene cart with hinged lid, cart capacity 125 lbs, for cube or Chewblet ice only, NSF \$7,235.87 ea



Hoshizaki B-300SF Ice Bin for Ice Machines

Ice Bin, 22"W, top-hinged frontopening door, 300-Ib ice storage capacity, for topmounted ice maker, stainless steel exterior, 6" painted flange legs included, protected with H-GUARD Plus Antimicrobial Agent, ETL, ETL-Sanitation \$1,300.01 ea



Page 28 of 51

Hoshizaki **B-500SF** Ice Bin for Ice Machines

Ice Bin, 30"W, top-hinged frontopening door, 500-lb ice storage capacity, for topmounted ice maker, stainless steel exterior, painted legs included, protected with H-**GUARD Plus Antimicrobial** Agent, ETL, ETL-Sanitation



Hoshizaki **B-800SF** Ice Bin for Ice Machines

\$1,933.46 ea

\$5,114.61 ea

\$4,245.11 ea

\$1,446.55 ea

Ice Bin, 48"W, top-hinged frontopening door, 800-lb ice storage capacity, for topmounted ice makers, stainless steel exterior, painted legs included, protected with H-**GUARD Plus Antimicrobial** Agent, ETL, ETL-Sanitation



Follett Products, LLC SG1175S-48 Ice Bin for Ice Machines

Upright Ice Bin, single door, 1185 lb. bin storage capacity, stainless exterior, poly liner, SmartGATE[™] ice shield, poly door with PowerHinge, and corrosion-resistant ABS/poly top custom cut for ice machine, includes 82 oz. plastic ice



Hoshizaki DB-200H **Ice Dispenser**

scoop, NSF

Ice Dispenser, 30"W, 200-lb. built-in storage capacity, accommodates KM-340/350, KM-515/520, KM-650/660 or KML series cubers, ABS molded front, vinyl covered steel side panels, 6" painted legs, ice dispensing area is ADA compliant, 60 watts, 115v/60/1-ph, 1.4 amps, cULus, **ETL-Sanitation**



Follett Products, LLC SG1300S-48 Ice Bin for Ice Machines

1320 lb. bin storage capacity, stainless exterior, poly liner, SmartGATE[™] ice shield, poly door with PowerHinge, and corrosion-resistant ABS/poly top custom cut for ice machine, includes 82 oz. plastic ice scoop, NSF

Upright Ice Bin, single door,

\$5,253.12 ea



Hoshizaki IM-200BAC Ice Maker with Bin, Cube-Style

Undercounter Ice Maker, Cube-Style, 39-1/2"W, air-cooled, self-contained condenser, production capacity up to 188 lb/24 hours at 70°/50° (150 lb AHRI certified at 90°/70°), 75 lb builtin storage capacity, stainless steel finish, individual square cube style, Evercheck[™] digital control with LED display, alert system, removable filter, 6" legs, R404 refrigerant, 115v/60/1-ph, 7.5 amps, NEMA 5-15P, NSF, cETLus, UL

\$4,377.48 ea



\$1,791.64 ea

Hoshizaki **B-900SF** Ice Bin for Ice Machines

Hoshizaki

B-700SF

Ice Bin for Ice Machines

storage capacity, for top-

steel exterior, painted legs

included, protected with H-

GUARD Plus Antimicrobial

Agent, ETL, ETL-Sanitation

Ice Bin, 44"W, top-hinged frontopening door, 700-lb ice

mounted ice makers, stainless

Ice Bin, 52"W, top-hinged front-

mounted ice makers, stainless

opening door, 900-lb ice

storage capacity, for top-

steel exterior, painted legs

included, protected with H-

GUARD Plus Antimicrobial

Agent, ETL, ETL-Sanitation

\$2,032.74 ea



Hoshizaki KML-325MAJ Ice Maker, Cube-Style

Ice Maker, Cube-Style, 30"W, air-cooled, self-contained condenser, production capacity up to 380 lb/24 hours at 70°/50° (300 lb AHRI certified at 90°/70°), stainless steel finish, crescent cube style, R-404A refrigerant, 115v/60/1ph, 8.4 amps, NSF, UL



Hoshizaki \$3,588.02 ea KML-325I

KML-325MAJ Ice Maker, Cube-Style

Ice Maker, Cube-Style, 30"W, air-cooled, self-contained condenser, production capacity up to 380 lb/24 hours at 70°/50° (300 lb AHRI certified at 90°/70°), stainless steel finish, crescent cube style, R-404A refrigerant, 115v/60/1ph, 8.4 amps, NSF, UL



Hoshizaki KML-500MAJ Ice Maker, Cube-Style

\$4,112.75 ea

\$3,800.75 ea

\$4,594.93 ea

Ice Maker, Cube-Style, 30"W, air-cooled, self-contained condenser, production capacity up to 442 lb/24 hours at 70°/50° (400 lb AHRI certified at 90°/70°), stainless steel finish, crescent cube style, R-404A refrigerant, 115v/60/1ph, 7.6 amps, NSF, UL



Hoshizaki KM-350MAJ Ice Maker, Cube-Style

Ice Maker, Cube-Style, 22"W, air-cooled, self-contained condenser, production capacity up to 489 lb/24 hours at 70°/50° (393 lb AHRI certified at 90°/70°), crescent cube style, stainless steel finish, R-404A refrigerant, 115v/60/1-ph, 9.05 amps, NSF, UL, ENERGY STAR®



Hoshizaki KM-660MAJ Ice Maker, Cube-Style

Ice Maker, Cube-Style, 22"W, air-cooled, self-contained condenser, production capacity up to 650 lb/24 hours at 70°/50° (560 lb AHRI certified at 90°/70°), stainless steel finish, crescent cube Style, R-404A refrigerant, 115v/60/1ph, 15.2 amps, NSF, UL



KML-700MAJ Ice Maker, Cube-Style

Hoshizaki

Hoshizaki

KM-520MAJ

Ice Maker, Cube-Style

Ice Maker, Cube-Style, 30"W, air-cooled, self-contained condenser, production capacity up to 662 lb/24 hours at 70°/50° (610 lb AHRI certified at 90°/70°), stainless steel finish, crescent cube style, R-404A refrigerant, 115v/60/1ph, 14.9 amps, NSF, UL, ENERGY STAR®



\$4,046.56 ea

Ice Maker, Cube-Style, 22"W, air-cooled, self-contained condenser, production capacity up to 556 lb/24 hours at 70°/50° (480 lb AHRI certified at 90°/70°), stainless steel finish, crescent cube style, R-404A refrigerant, 115v/60/1ph, 10.6 amps, NSF, UL, ENERGY STAR®



Hoshizaki KM-1601SWJ Ice Maker, Cube-Style

Ice Maker, Cube-Style, 48"W, stackable, water-cooled, selfcontained condenser, production capacity up to 1660 Ib/24 hours at 70°/50° (1650 Ib AHRI certified at 90°/70°), crescent cube style, stainless steel exterior, R-404A refrigerant, 208-230v/60/1-ph, 13.6 amps, NSF, UL \$9,156.77 ea



\$3,588.02 ea



BUNN 36700.0009 Iced Tea Brewer

36700.0009 TB3 Iced Tea Brewer, 3-gallon capacity single brewer, 16.3 gallon/hour, SplashGard® funnel, adjustable steep time, (dispensers sold separately), 120v/60/1-ph, 1730w, 14.4amps, NEMA 5-15P, cord attached, UL, NSF

Robot Coupe

CMP250VV Immersion Hand Mixer


Compact Power Mixer, hand held, 15 liter processing capacity, 10' stainless steel shaft, removable stainless steel knife & mixer blade. splash guard, ergonomically shaped handle, includes: (1) stainless steel wall support & (1) blade disassembly tool, variable speed 5,000 - 10,000 RPM, 310 watts, 120v/60/1-ph, 3.0 amps, NEMA 5-15P, cETLus, ETL-Sanitation

Robot Coupe MP550 Immersion Hand Mixer

Commercial Power Mixer, hand held, 21" stainless steel shaft, removable stainless steel foot & blade. includes: (1) stainless steel wall support & (1) blade disassembly tool, 200 liter processing capacity, automatic single speed 12,000 RPM, 1.2 HP, 120v/60/1-ph, 7.0 amps, 840 watts, NEMA 5-15P, "Easy plug" system with detachable power cord, cETLus, ETL-Sanitation



(MC1500) Heritage Induction Range, countertop, single hob, glassceramic top, sloped front, temperature control knob, microprocessor with (20) power cook settings & auto shut-off, selfdiagnostics, LED display, integral cooling fan & grease filter, stainless steel housing, 6 ft. cord, NEMA 5-15P, 100-120v/50/60/1-ph, 1500 watts, 14.0 amps, cETLus, NSF, CE, Made in USA



\$863.14 ea

WSB60 Immersion Blender

Waring

Big Stix[®] Immersion Blender, heavy duty, 100 qt. (25 gallon) capacity, 16" stainless steel removable shaft, variable speed motor, continuous ON feature, rubberized comfort grip, 1 HP, 120v, 750W, 6.25 amps, NSF

Robot Coupe CMP400VV Immersion Hand Mixer

Compact Power Mixer, hand held, 73 liter processing capacity, 16' stainless steel shaft, removable stainless steel knife & mixer blade, splash guard, ergonomically shaped handle, includes: (1) stainless steel wall support & (1) blade disassembly tool, variable speed 5,000 - 10,000 RPM, 420 watts, 120v/60/1-ph, NEMA 5-15P, cETLus, ETL-Sanitation

Robot Coupe MP600 Immersion Hand Mixer

Commercial Power Mixer, hand held, 24" stainless steel shaft, removable stainless steel foot & blade. includes: (1) stainless steel wall support & (1) blade disassembly tool, 300 liter processing capacity, automatic single speed 12,000 RPM, 1.5 HP, 120v/60/1-ph, 7.7 amps, 920 watts, NEMA 5-15P, "Easy plug" system with detachable power cord, cETLus, ETL-Sanitation

CookTek 620101 Induction Range, Countertop

(MC1800G) Apogee[™] Induction Range, countertop, single hob, glassceramic top, sloped front, built-in cooking timer, (100) power cook & temperature settings with lock feature, auto shut-off, microprocessor, self-diagnostics, LCD display, integral cooling fan & grease filter, stainless steel housing, 6 ft. cord, NEMA 5-15P, 100-120v/50/60/1-ph, 1800 watts, 15.0 amps, cETLus, NSF, CE, Made in USA

\$682.29 ea


\$1,541.74 ea






Page 31 of 51

\$729.84 ea













\$1,416.09 ea

Cleveland Range KET6T Kettle, Electric, Countertop

Tilting Kettle, electric, countertop, 6gallon (23L) capacity, 2/3 steam jacket design, self-contained, lever style tilting, anti-drip pour spout, IPX6 water protection controls, selflocking marine style safety latch, reinforced rolled rim, support console on right, stainless steel construction with 316 series stainless steel liner, 50 PSI rated



\$8,176.71 ea

\$19,593.52 ea

\$9,894.23 ea

Cleveland Range TKET12T Kettle, Electric, Countertop

Tilting Kettle, electric, twin unit, countertop, 12 gallon (45L each) capacity each, 2/3 steam jacket design, self-contained, lever styletilting, anti-drip pour spout, IPX6 water protection controls, selflocking marine style safety latch, reinforced rolled rim, center support console. stainless steel construction with 316 series stainless steel liner, **50 PSI**

Cleveland Range TKET3T Kettle, Electric, Countertop

Tilting Kettle, electric, twin unit,

countertop, 3 gallon (11L each)

capacity each, 2/3 steam jacket

design, self-contained, lever style-

tilting, anti-drip pour spout, IPX6

locking marine style safety latch,

Kettle, Electric, Countertop

gallon (11L) capacity, 2/3 steam jacket design, self-contained, lever

style tilting, anti-drip pour spout,

locking marine style safety latch,

reinforced rolled rim, support

construction with 316 series

console on right, stainless steel

stainless steel liner, 50 PSI rated

IPX6 water protection controls, self-

Tilting Kettle, electric, countertop, 3-

reinforced rolled rim, center support

console, stainless steel construction

with 316 series stainless steel liner,

water protection controls, self-

50 PSI

KET3T

Cleveland Range

\$16,302.11 ea



\$7,322.56 ea



\$24,111.51 ea



Cleveland Range TKET6T Kettle, Electric, Countertop

Tilting Kettle, electric, twin unit, countertop, 6 gallon (23L each) capacity each, 2/3 steam jacket design, self-contained, lever styletilting, anti-drip pour spout, IPX6 water protection controls, selflocking marine style safety latch, reinforced rolled rim, center support console, stainless steel construction with 316 series stainless steel liner, 50 PSI



Cleveland Range KET12T Kettle, Electric, Countertop

Tilting Kettle, electric, countertop, 12-gallon (45L) capacity, 2/3 steam jacket design, self-contained, lever style tilting, anti-drip pour spout, IPX6 water protection controls, selflocking marine style safety latch, reinforced rolled rim, support console on right, stainless steel construction with 316 series stainless steel liner, 50 PSI rated



Cleveland Range KEL80 Kettle, Electric, Stationary

Kettle, electric, 80-gallon capacity, 2/3 steam jacket design, open tri-leg base, faucet bracket, strainer, 50 psi rating, solid state water level control, 2" tangent draw-off, springassisted cover, 316 series stainless steel interior, flanged feet, IPX6




\$30,889.78 ea

Cleveland Range KEL60 Kettle, Electric, Stationary

Kettle, electric, 60-gallon capacity, 2/3 steam jacket design, open tri-leg base, faucet bracket, strainer, 50 psi rating, solid state water level control, 2" tangent draw-off, springassisted cover, 316 series stainless steel interior, flanged feet, IPX6

\$24,701.46 ea







Kettle, electric, 40-gallon capacity, 2/3 steam jacket design, 316 stainless steel interior, open tri-leg base, faucet bracket, strainer, 50 psi rating, solid state water level control, 2" tangent draw-off, spring-assisted cover, 304 stainless steel construction with 316 series stainless steel liner, flanged feet, IPX6

Cleveland Range KEL25 Kettle, Electric, Stationary

Kettle, electric, 25-gallon capacity, 2/3 steam jacket design, open tri-leg base, faucet bracket, strainer, 50 psi rating, solid state water level control, 2" tangent draw-off, springassisted cover, 304 stainless steel construction with 316 series stainless steel liner, flanged feet, IPX6



Cleveland Range KGL60 Kettle, Gas, Stationary

Kettle, gas, stationary, 60gallon capacity, 2/3 steam jacket, self-contained, floor mounted control console supports, electronic ignition, 316 series stainless steel interior, faucet mounting bracket, flanged feet, 2" tangent draw-off with strainer, springassisted cover, 50 psi rating, 190,000 BTU

Cleveland Range KGL25 Kettle, Gas, Stationary

Kettle, gas, stationary, 25-gallon capacity, 2/3 steam jacket, selfcontained, floor mounted control console supports, electronic ignition, stainless steel exterior with 316 series stainless steel interior, faucet mounting bracket, flanged feet, 2" tangent draw-off with strainer, spring-assisted cover, 50 psi rating, 90,000 BTU

\$28,622.32 ea

\$20,436.89 ea



Cleveland Range KEL30 Kettle, Electric, Stationary

Kettle, electric, 30-gallon capacity, 2/3 steam jacket design, open tri-leg base, faucet bracket, strainer, 50 psi rating, solid state water level control, 2" tangent draw-off, springassisted cover, 304 stainless steel construction with 316 series stainless steel liner, flanged feet, IPX6

Cleveland Range KGL80 Kettle, Gas, Stationary

Kettle, gas, stationary, 80gallon capacity, 2/3 steam jacket, self-contained, floor mounted control console supports, electronic ignition, 316 series stainless steel interior, faucet mounting bracket, flanged feet, 2" tangent draw-off with strainer, springassisted cover, 50 psi rating, 190,000 BTU

Cleveland Range KGL40 Kettle, Gas, Stationary

Kettle, gas, stationary, 40-gallon capacity, 2/3 steam jacket, 316 stainless steel interior. selfcontained, floor mounted control console supports, electronic ignition. 304 stainless steel finish. faucet mounting bracket, flanged feet, 2" tangent draw-off with strainer, spring-assisted cover, 50 psi rating, 140,000 BTU

Cleveland Range KGL60T Kettle, Gas, Tilting

Kettle, gas, tilting, 60-gallon capacity, 2/3 steam jacket design, with floor mounted control console supports, 316 series stainless steel interior, flanged feet, 50 psi rating, electronic spark ignition, cover & draw-off optional, 190,000 BTU

\$18,310.51 ea

\$31,894.24 ea



\$22,953.16 ea



\$36,466.09 ea





\$18,144.81 ea



\$18,689.62 ea

Cleveland Range KGL40T Kettle, Gas, Tilting

Kettle, gas, tilting, 40-gallon capacity, 2/3 steam jacket design, 316 stainless steel interior, floor mounted control console supports, 304 stainless steel construction, flanged feet, 50 psi rating, electronic spark ignition, cover & draw-off optional, 140,000 BTU



Cleveland Range KGL60T Kettle, Gas, Tilting

\$36,466.09 ea


\$33,868.77 ea

Kettle, gas, tilting, 60-gallon capacity, 2/3 steam jacket design, with floor mounted control console supports, 316 series stainless steel interior, flanged feet, 50 psi rating, electronic spark ignition, cover & draw-off optional, 190,000 BTU



Cleveland Range KGL25T Kettle, Gas, Tilting

Kettle, gas, manual tilting, 25gallon capacity, 2/3 steam jacket design, electronic spark ignition, solid-state control panel, floor mounted control console supports, 304 stainless steel construction with 316 series stainless steel liner, flanged feet, 50 psi rating, cover & draw-off optional, 90,000 BTU



TurboChef С3

Microwave Convection / Impingement Oven

C3[™] Speed Cook Oven, Rapid Cook, electric, ventless, countertop, single deck, 128 cooking profiles, internal catalytic converter, digital display, (1) ceramic cook platter & ceramic wave guide cover, (1) wooden paddle, (1) oven cleaner, (1) oven guard, (2) 12" x 12" PTFE mesh screens, (2) trigger sprayers, stainless steel front, top, sides, & back, 4" adjustable legs, 7.4kW, cULus, CE, NSF, CB



\$32,078.92 ea



RCS10TS **Microwave Oven**

Amana[®] Commercial Microwave Oven, 1000 watts, 1.2 cu. ft. capacity, medium volume, 4-stage cooking, (5) power levels, (100) memory settings, braille touch pads, non-removable air filter, side hinged door with tempered glass, accommodates 14" plate, stainless steel interior & exterior, 120v/60/1ph, 13.0 amps, 15 MCA, 1550 watts (total), NEMA 5-15P, cETLus, ETL-Sanitation

\$628.43 ea



\$32,078.92 ea

Kettle, gas, manual tilting, 25gallon capacity, 2/3 steam jacket design, electronic spark ignition, solid-state control panel, floor mounted control stainless steel construction with 316 series stainless steel liner, flanged feet, 50 psi rating, cover & draw-off

\$33,868.77 ea



\$106.70 ea

Absocold[®] Compact Microwave Oven 0.9 cu. ft./900 Watts, Black Exterior, 120V 10.71"H x 18.62"W x 14.72"D *Available Mid-July 2023*

ACP

Cleveland Range

Kettle, Gas, Tilting

console supports, 304

optional, 90,000 BTU

Cleveland Range

Kettle, Gas, Tilting

Kettle, gas, tilting, 40-gallon

capacity, 2/3 steam jacket

design, 316 stainless steel

console supports, 304

interior, floor mounted control

electronic spark ignition, cover

& draw-off optional, 140,000

stainless steel construction,

flanged feet, 50 psi rating,

KGL40T

BTU

Absocold

AM090HB

Microwave

KGL25T

ACP RFS12TS Microwave Oven

Amana® Commercial Microwave Oven, 1.2 cu. ft., 1200 watts, medium volume, 4stage cooking, (5) power levels, (100) memory settings, 60-minute max cooking time, LED display, touch control, ADAcompliant Braille touch pads, audible end of cycle signal, side hinged door with tempered glass, lighted interior, sealed-in ceramic shelf. stainless steel exterior & interior, 120v/60/1-ph, 16.0 amps, 20 MCA, 2000 watts (total), NEMA 5-20P,



\$1,252.86 ea

RFS18TS Microwave Oven

ACP

Amana® Commercial Microwave Oven, 1.2 cu. ft., 1800 watts, medium volume, 4stage cooking, (5) power levels, (100) memory settings, 60-minute max cooking time, LED display, touch control, ADAcompliant Braille touch pads, audible end of cycle signal, side hinged door with tempered glass, lighted interior, sealed and recessed ceramic shelf, stainless steel exterior & interior, 208-240v/60/1-ph, 13.5 amps, 20 MCA, 2800 watts (total), NEMA 6-20P, cETLus, ETL-Sanitation

Silver King SKMAJ1-ESUS3 Milk Dispenser

Majestic Series Milk Dispenser,

valve, 6 gallon capacity,

Silver King

SKMAJ3-ESUS3

Milk Dispenser

refrigerated, single spring-loaded

(accommodates 3, 5, or 6 gallon bags), includes (1) crate, stainless steel interior & exterior with galvanized bottom, shipboard legs, bottom-mounted self-contained refrigeration, R290 Hydrocarbon refrigerant, 1/10 HP, 115v/60/1-ph, 1.5 amps, cord & NEMA 5-15P, cETLus, ETL-Sanitation



\$3,635.63 ea



\$4,801.68 ea



\$3,332.50 ea



Majestic Series Milk Dispenser, refrigerated, triple spring-loaded valve, 18 gallon capacity, (accommodates 3, 5, or 6 gallon

bags), includes (3) crates, stainless steel interior & exterior with galvanized bottom, shipboard legs, bottom-mounted self-contained refrigeration, R290 Hydrocarbon refrigerant, 1/6 HP, 115v/60/1-ph, 1.9 amps, cord & NEMA 5-15P, cETLus, ETL-Sanitation

Metro C537-HFC-4 **Mobile Heated Cabinet**

C5[™] 3 Series Heated Holding Cabinet, with Red Insulation Armour™, mobile, 3/4 height, insulated, clear polycarbonate door, removable bottom mount control module, thermostat to 200°F, fixed wire slides on 3" centers (14) 18" x 26" or (26) 12" x 20" x 2 1/2" pan capacity, 5" casters (2 with brakes), aluminum, 120v/60/1 ph, 2000 watts, 16.7 amps, NEMA 5 20P, cULus, NSF

\$1,452.36 ea

cETLus, ETL-Sanitation

Danby DMW799BL **Microwave Oven**

\$68.40 ea

\$4,001.40 ea

700 Watt microwave oven: 10 power levels, black finish Voltage: 120/60/1



Silver King SKMAJ2-ESUS3 **Milk Dispenser**

Majestic Series Milk Dispenser, refrigerated, double spring-loaded valve, 12 gallon capacity, (accommodates 3, 5, or 6 gallon bags), includes (2) crates, stainless steel interior & exterior with galvanized bottom, shipboard legs, bottom-mounted self-contained refrigeration, R290 Hydrocarbon refrigerant, 1/10 HP, 115v/60/1-ph, 1.4 amps, cord & NEMA 5-15P, cETLus, ETL-Sanitation

Hobart HCM450-3 **Mixer, Vertical Cutter VCM**

460/60/3 (requires 20 amp service, 11 amps drawn); Cutter Mixer; includes Cut-Mix attachment, Knead-Mix attachment, Strainer Basket, & Mixing Baffle arm; does not include casters, US/EXPORT configuration



\$27,340.32 ea



APW Wyott ML2-12A Mobile Plate and Dish Dispenser

Adjustube® II Dish Dispenser, mobile, enclosed cabinet, (2) self-elevating dish dispensing tubes, maximum dish size approximately 12" diameter, stainless steel construction, NSF, UL, CSA





Carter-Hoffmann

PHB450HE Mobile Refrigerator Cabinet

Refrigerated Cabinet, mobile, insulated, bottom-mounted, (30) 18"x 26" sheet pans, slide spacing fixed on 1-1/2" centers, stainless steel construction, 6" swivel casters, energy management system with dual layer foamboard & fiberglass insulation meets DOE standard, cULus, NSF (RapidShip)

Carter-Hoffmann PHB650HE Mobile Refrigerator Cabinet

Refrigerated Cabinet, mobile, (2) door, insulated, bottommounted, (60) 18"x26" sheet pans, slides fixed on 1-1/2" centers, stainless steel construction, 6" casters (2 swivel, 2 rigid), energy management system with dual layer foamboard & fiberglass insulation meets DOE standard, cULus, NSF



TurboChef 15 Oven

i5-9500-1, I5™ Microwave/Impingement Oven, Rapid Cook, electric, 28.1" wide, ventless. countertop, fully insulated cook chamber, stores up to 200 recipes, internal catalytic converter, smart voltage sensor technology (US only), digital display, removable rack and grease collection pan, top and bottom jet plates, pull down door with ergonomic handle, multispeed impingement blower, 13 1/2" x 14 1/4, (2) solid PTFE baskets, TurboChef Cleaner and Guard Starter Kit, includes (1) cleaner packet, (1) 24oz bottle, (1) Guard bottle and (2) foamer trigger.(1) standard rack, side hand grips, stainless steel front, top & sides, cULus, CE, UL EPH Classified, ANSI/NSF 4, TUV

Blodgett 951 DOUBLE Oven, Deck-Type, Gas

Oven, deck-type, gas, 42"W x 32"D deck interior, (2) 12" high sections, (FTDO) 200-500°F mechanical thermostat, counter-balanced doors with heavy chrome handle, angle iron frame, steel deck, crown angle trim, aluminized steel interior, stainless steel top, front, sides and back, 7" stainless steel adjustable legs, 38,000 BTU per section, cETLus, NSF, CE

\$23,340.96 ea

\$15,183.61 ea



\$24,900.30 ea



Beverage Air BZ13HC-B **Open Display Merchandiser**

The Breeze Open Display Case, 30"W, 7.38 cu. ft., deck & (3) adjustable shelves, lighted sign panel, recessed interior lighting, white interior, black exterior, bottom mount selfcontained refrigeration, R290 Hydrocarbon Refrigerant, 1/2 HP, cULus, UL EPH Classified, UL-Sanitation, Made in USA

Blodgett 951 SINGLE Oven, Deck-Type, Gas

Oven, deck-type, gas, 42"W x 32"D deck interior, (1) 12" high section, (FTDO) 200-500°F mechanical thermostat, counter-balanced doors with heavy chrome handle, angle iron frame, steel deck, crown angle trim, aluminized steel interior, stainless steel top, front, sides and back, 27-1/2" stainless steel adjustable legs, 38,000 BTU, cETLus, NSF, CE



\$6,212.92 ea

\$13,190.40 ea



Plate-Mate PM84-136 PLATE RACK

Holding Capacity: up to 84 plates Our Best Priced Model 600 Pound Load Capacity Powder Coated Carbon Steel Frame Total Height: 75" (190.5 cm) Measurements of Under-Carriage 25.5" x 25.5" (48 x 48 cm) Net Weight: 47 lb. (27.3 kg) Gross Shipping Weight: 60 lb. (32 kg) Box: 72" x 28" x 11"

\$819.00 ea



\$11,786.84 ea

Waring WPG250 Panini Grill

Panini Supremo[™] Large Panini Grill, electric, single, 14-1/2" x 11" cooking surface, hinged auto-balancing top plate with heat resistant handles, ribbed cast iron plates, adjustable thermostat 570°F (300°C), indicator lights, brushed stainless steel body & removable drip tray, 1.8kW, 120v/60/1-ph, 15.0 amps, NEMA 5-15P, UL, NSF



Waring \$780.73 ea WPG300

Panini Grill

Waring

WPG150

Panini Grill

Panini Ottimo[™] Dual Panini Grill, electric, double, 17" x 9-1/4" cooking surface, hinged auto-balancing top plate with heat resistant handles, ribbed cast iron plates, adjustable thermostats 570°F (300°C), indicator lights, brushed stainless steel body & removable drip tray, 3.2kW, 240v/60/1-ph, 13.3 amps, NEMA 6-20P, UL, NSF



Waring WDG300 Panini Grill

\$1,004.80 ea

\$498.60 ea

Dual Surface Panini Grill, electric, double, 17" x 9-1/4" cooking surface, hinged auto-balancing top plate with heat resistant handles, half ribbed & half flat grill, adjustable thermostats 570°F (300°C), indicator lights, brushed stainless steel body & removable drip tray, 3.2kW, 240v/60/1-ph, 13.3 amps, NEMA 6-20P, UL, NSF



Crown Verity CV-2620-SS Patio Heater

Patio Heater, portable, propane, 18-1/4" base x 35-1/2" reflector dia., 90"H, uses a 20 lb. or 30 lb. propane cylinder (not included), Piezo electric ignition, waterresistant, adjustable heat output, wheel kit included, stainless steel



Blodgett 961P DOUBLE Pizza Bake Oven, Deck-Type, Gas

Pizza Oven, deck-type, gas, 42"W x 32"D deck interior, (2) 7" high sections, (FDTH) 300-650°F mechanical thermostat, QHT Rokite deck, counter-balanced doors with concealed hinges, full angle iron frame, crown angle trim, stainless steel top, front, sides and back, 19" stainless steel legs, flue connector, 50,000 BTU per section, cETLus, NSF, CE

Prices are estimates for budgeting purposes.





Blodgett 961P SINGLE Pizza Bake Oven, Deck-Type, Gas

Panini Perfetto™ Compact Panini

cooking surface, hinged auto-

balancing top plate with heat

NEMA 5-15P, UL, NSF

Grill, electric, single, 9-1/4" x 9-3/4"

resistant handles, ribbed cast iron

(300°C), indicator lights, brushed stainless steel body & removable

drip tray, 120v/60/1-ph, 15.0 amps,

plates, adjustable thermostat 570°F

Pizza Oven, deck-type, gas, 42"W x 32"D deck interior, (1) 7" high section, (FDTH) 300-650°F mechanical thermostat, QHT Rokite deck, crown angle trim, counter-balanced door with concealed hinges, full angle iron frame, stainless steel top, front, sides and back, 27-1/2" stainless steel legs, 50,000 BTU, cETLus, NSF, CE

Hobart HL200-1STD Planetary Mixer

100-120/50/60/1; Bench type mixer; with bowl, beater, whip & spiral dough arm, US/EXP configuration -Legacy Planetary Mixer, Bench, 20 quart, (3) fixed speeds plus stir speed, gear-driven transmission, 15minute SmartTimer™, #12 taper hub, manual bowl lift, stainless steel bowl, aluminum "B" beater, stainless steel "D" wire whip, aluminum "ED" spiral dough arm, stainless steel bowl guard, 1/2 hp, cord with plug





\$15,307.65 ea



\$8,693.16 ea



Page 37 of 51

\$1,004.80 ea

Hobart HL400-1STD **Planetary Mixer**

Hobart

HL120-1STD

200-240/50/60/3 Mixer; with bowl, beater, whip, & spiral dough arm; US/EXP configuration - Legacy Planetary Mixer, 1.5 hp, 40 quart capacity, (3) fixed speeds, geardriven transmission, 20 minute timer, #12 taper attachment hub, manual bowl lift, bowl guard, stainless steel bowl, "B" beater, "D" whip, "ED" dough hook



\$21,472.92 ea

N50-60 **Planetary Mixer**

Hobart

100-120/60/1 Mixer with bowl, aluminum beater, whip, & dough arm; US/EXP configuration Mixer, Planetary, Bench, 5 quart, (3) fixed speeds, gear-driven transmission, #10 taper attachment hub, manual bowl lift, Hobart Gray enamel housing, stainless steel bowl, alum "B" beater, stainless steel "D" wire whip, alum dough hook, 1/6 hp, cord with plug

Legacy Planetary Mixer, 80

transmission, 20-Minute

speed, gear-driven

Hatco

TPT-120

Classified

Pop-Up Toaster

quart, (4) fixed speeds plus stir

SmartTimer[™], power bowl lift,

stainless steel bowl, "B" beater,

"ED" dough hook, bowl truck,

3.0 HP, 200-240v/50/60/3-ph

Pop-Up Toaster, (4) 1-1/4" wide

self centering slots, individual

manual controls, removable

crumb tray, stainless steel

construction, cULus, UL EPH

(US & Export configuration)

stainless steel bowl guard,

Hobart HL800-1STD **Planetary Mixer**

\$4,803.12 ea

\$44,817.36 ea



\$321.60 ea

\$903.91 ea





arm; US/EXP configuration - Legacy Planetary Mixer, 2.7 HP, 60 quart, (4) fixed speeds, gear-driven transmission, 20-Minute SmartTimer[™], #12 attach hub, power bowl lift, stainless steel bowl, stainless steel bowl guard, "B" beater, "D" wire whip, "ED" dough hook



Hatco **TPT-208 Pop-Up Toaster**

Pop-Up Toaster, (4) 1-1/4" wide self centering slots, individual toasting controls, selector switch for double or single sided toasting, removable crumb tray, stainless steel construction, cULus, UL EPH Classified

Prices are estimates for budgeting purposes.



\$580.20 ea

Star 39-A **Popcorn Popper**

JetStar[™] Popcorn Machine, electric, countertop, 6 oz. kettle capacity, (135) 1 oz. servings/hr., interior heating lamp, 1/8" thick tempered glass, stainless steel food zone, aluminum posts with yellow top cap, cULus, NSF, Made in USA



Planetary Mixer 100-120/50/60/1; Bench type mixer;

with bowl, beater, & whip; US/EXP configuration - Mixer, Planetary, Bench, 12 quart capacity, (3) fixed speeds plus stir speed, gear-driven transmission, 15-Minute SmartTimer[™], #12 taper attachment hub, manual bowl lift, stainless steel bowl, aluminum "B" beater, stainless steel "D" wire whip, stainless steel bowl guard, 1/2 hp, cord with plug

Hobart HL600-1STD **Planetary Mixer**

200-240/50/60/3/1 Mixer; with bowl, beater, "D" whip, & spiral dough



\$30,091.32 ea

\$8,534.40 ea

Star 86S Popcorn Popper

Super JetStar™ Popcorn Machine, electric, countertop, 8 oz. kettle capacity, (170) 1 oz. servings/hr., interior heating lamp, 1/8" thick tempered glass, stainless steel food zone, aluminum posts with stainless steel finish, cULus, UL EPH Classified, Made in USA



Star G14-Y Popcorn Popper

Galaxy® Popcorn Machine, electric, countertop, 14 oz. kettle capacity, (280) 1 oz. servings/hr., interior heating lamp, 1/8" thick tempered glass, stainless steel food zone, aluminum posts with stainless steel finish, cULus, NSF, Made in USA



Star J4R Popcorn Popper

Mini JetStar[™] Popcorn Machine, electric, countertop, 4 oz. kettle capacity, (115) 1 oz. servings/hr., interior flood lamp, heated corn pan, polycarbonate wrap, stainless steel food zone, red antique styling, cULus, UL EPH Classified, Made in USA



Berkel 300M-STD Proscuitto Slicer

Fly Wheel Slicer, 12" chromium-plated carbon steel knife, manual, automatic feeding, integrated dual action sharpener, rear knife guard, no motor, stainless steel and anodized aluminum, classic Berkel red, NSF



\$12,229.58 ea

\$669.98 ea

Galaxy[®] Popcorn Machine, electric, countertop, 12 oz. kettle capacity, (240) 1 oz. servings/hr., interior heatir

Star

G12-Y

Popcorn Popper

\$1,004.97 ea

\$2,279.26 ea

kettle capacity, (240) 1 oz. servings/hr., interior heating lamp, 1/8" thick tempered glass, stainless steel food zone, aluminum posts with stainless steel finish, cULus, NSF, Made in USA

Star G8-Y Popcorn Popper

\$1,756.00 ea



\$280.93 ea

Absocold ARD204AB21R/L Portable Container, Refrigerated

Guestroom refrigerator with auto defrost Quick Chill / Snooze feature standard Dimensions: 22-3/8" H x 18-1/2" W x 19" D Cubic Capacity: 2.0 cu. ft. Exterior Finish: Black Voltage: 115/60/1



Carter-Hoffmann T726 Queen Mary

Queen Mary China & Silver Transporter, open design, six shelves, shelf size 27" x 72", push handle, shelf clearance 8", 2 swivel, 2 rigid 8" casters, aluminum tubular frame \$3,756.91 ea



\$1,972.49 ea

Danby DAR044A4BDD REFRIGERATOR

Single Door 4.4 cu.ft. Energy Star Rated All-Refrigerator; Auto Defrost; Second Generation Canstor Beverage Dispensing System; 2.5 Wire Shelves; Tall Bottle Storage; Reversible Door Swing; Smooth Back Design; Interior Light. 18 Months parts and labor warranty.



\$252.00 ea

Vulcan 36S-6B Range, 36", 6 Open Burners

Endurance[™] Restaurant Range, gas, 36", (6) 30,000 BTU burners, lift-off burner heads, standard oven, stainless steel front, sides, backriser, & lift-off high shelf, fully MIG welded chassis, 6" adjustable legs, 215,000 BTU, CSA, NSF

\$3,672.98 ea

\$19,237.06 ea

\$4,927.88 ea



Vulcan EV60SS-10FP208 Range, 60", 10 French Hot Plates

Restaurant Range, electric, 60", (10) 2.0 kW French hotplates, 9-1/2" solid cast iron, infinite controls, (1) standard & (1) oversized oven with (1) rack each, stainless steel front, sides, single-deck high shelf & 6" legs, 208v



Merrychef USA E3 Rapid Cook Oven

eikon[™] Convection and Microwave Small Speed Oven, (2) rack positions, ventless cooking capability, EasyTouch[™] controls, USB memory, built-in diagnostic testing, bottom-hinged door, includes: (2) cast turntables, NSF, "40H0347ANO", (1) cool down pan "32Z4043", (1) cleaner kit "32Z4148", (1) turntable disk "40H0249", (1) oven tray handle "SR313", (1) teflon sheet "40H0190" & (2) chromium plated steel racks "DR0056", stainless steel construction, NEMA 6-30P, 30 amp, 4.7kW, 208/240v/60/1-ph, CE, NSF, cULus



Vulcan 60SS-6B24GB Range, 60", 6 Burners, 24"

Griddle/Broiler

Endurance[™] Restaurant Range, gas, 60", (6) 30,000 BTU burners with lift-off burner heads, (1) 24" manual griddle/broiler, 3/4" thick, 4" wide front grease trough, (2) standard oven bases, stainless steel front, sides, backriser & high shelf, fully MIG welded frame, 6" adjustable legs, 268,000 BTU, CSA Flame, CSA Star, NSF \$8,597.00 ea

\$7,214.45 ea



Vulcan 60SS-10B Range, 60", 10 Open Burners

Endurance[™] Restaurant Range, gas, 60", (10) 30,000 BTU burners with lift-off burner heads, (2) standard oven bases, stainless steel front, sides, backriser & high shelf, fully MIG welded frame, 6" adjustable legs, 358,000 BTU, CSA, NSF



Merrychef USA E4 Rapid Cook Oven

eikon[™] Convection, Air Impingement and Microwave Speed Oven, ventless cooking capability, EasyTouch[™] controls, USB memory, built-in diagnostic testing, bottomhinged door, includes: (1) wire rack "DV0907", (1) cool down pan "3224028", (1) cleaner kit "3224148", (1) paddle "PSR310", (1) large mesh teflon basket "3224031" & (1) solid bottom teflon basket "3224070", stainless steel construction, 6.2kW, 208/240v/60/1-ph, 30 amp, NEMA 6-30P, CE, cULus, NSF, ETL \$11,270.10 ea



\$1,138.80 ea

Collapsible/ folding mobile plate rack holds 84

Plate-Mate

PM84-135

Rack

Merrychef USA E5 **Rapid Cook Oven**

eikon[™] Convection and Microwave Large Speed Oven, (2) rack positions, ventless cooking capability, EasyTouch[™] controls, USB memory, built-in diagnostic testing, bottomhinged door, includes: (1) wire rack "40C1011", (1) cool down pan "32Z4028" & (1) cleaner kit "32Z44148", stainless steel construction, 6.2kW, 208/240v/60/1ph, 30 amp, NEMA 6-30P, CE, NSF, cULus Classified

TurboChef \$9,849.09 ea SOTA

Rapid Cook Oven

Sota[™] Convection/Microwave Oven, Rapid Cook, electric, 16" wide, ventless, countertop, insulated cook chamber, stores up to 256 recipes, internal catalytic converter, LED timer. pull down door with ergonomic handle, multispeed convection blower, removable rack and bottom jetplate, smart voltage sensor technology (US only), includes (2) solid aluminum pan, (1) oven cleaner, (1) oven guard, (1) aluminum paddle, (2) trigger sprayers, (1) standard rack, stainless steel interior, powder coated, corrosion-resistant steel outer wrap and door, 4" legs, cULus, CE. UL EPH Classified, ANSI/NSF 4, TUV

Victory Refrigeration RFS-1D-S1-HD-HC Reach-In Dual Temp Cabinet

UltraSpec[™] Series Refrigerator/Freezer, Reach-

8.99 cu. ft. capacity per section, (2) half height

in, one-section, self-contained refrigeration.

solid hinged doors, (4) silver freeze (chrome

style) wire shelves, stainless steel exterior & interior, standard depth cabinet, TOUCH

control/indicators. LED lighting, expansion

2 year warranty, stainless steel breakers, top

mounted compressors, refrigerator 1/6 HP &

freezer 1/2 HP, cULus, UL EPH Classified, UL-

UltraSpec[™] Series Freezer, Reach-in, one-

section, self-contained refrigeration, 21.01

cu. ft. capacity, (1) full height solid hinged

standard depth cabinet, TOUCH POINT™

electronic temperature control/indicator,

LED lighting, expansion valve technology,

warranty, stainless steel breakers, R290

Hydrocarbon refrigerant, 3/4 HP, cULus, UL

EPH Classified, UL-Sanitation, MADE IN USA

door, (3) silver freeze (chrome-style)

shelves, stainless exterior & interior,

Santoprene door gaskets with 2 year

valve technology, Santoprene door gaskets with

POINT[™] electronic temperature

Sanitation, MADE IN USA

Reach-In Freezer

FS-1D-S1-HC

Victory Refrigeration

\$12,664.43 ea



\$8,921.96 ea



\$5,535.17 ea



\$14,450.90 ea

Page 41 of 51

TurboChef ENC-9600-645-BLACK **Rapid Cook Oven**

Marriott Courtyard Bullet™ Convection/Microwave Oven, Rapid Cook, electric, 21.1" wide, ventless, countertop, fully insulated cook chamber, stores up to 256 recipes internal catalytic converter, smart voltage sensor technology (US only), digital display, removable rack and grease collection pan, bottom jet plate, pull down door with ergonomic handle, 13 1/2" x 14 1/4, (2) solid PTFE baskets, (1) oven cleaner (1) oven guard, (1) aluminum paddle, (2) trigger sprayers, (1) baking stone & oven rack. ENC-3012 fiber stone, ENC-2079 fiber stone rack, NGC-1290 solid teflon basket. Marriott Courtvard Bullet Menu. side hand grips, stainless steel front, top & sides, cULus, CE. UL-EPH Classified, ANSI/NSF 4, TUV Voltage 208/240/60/1, 30 amps, 6 food cord (nominal), NEMA 6-30P standard *Black Powder Coat Finish* (Navision ID: A37737) Eff 4/1/22

\$14,187.31 ea

\$14,774.96 ea



Victory Refrigeration RFS-2D-S1-HC **Reach-In Dual Temp Cabinet**

UltraSpec[™] Series Refrigerator/Freezer, Reachin, two-section, self-contained refrigeration, 21.01 cu. ft. capacity per section, (2) full height solid hinged doors, (6) silver freeze (chromestyle) wire shelves, stainless steel exterior & interior, standard depth cabinet, TOUCH POINT[™] electronic temperature control/indicators, LED lighting, expansion valve technology, Santoprene door gaskets with 2 year warranty, stainless steel breakers, top mounted compressors, refrigerator 1/3 HP & freezer 3/4 HP, cULus, UL EPH Classified, UL-Sanitation, MADE IN USA

Victory Refrigeration

UltraSpec[™] Series Freezer, Reach-in, two-

section, self-contained refrigeration, 44.57

cu. ft. capacity, (2) full height solid hinged

standard depth cabinet, TOUCH POINT™ electronic temperature control/indicator,

LED lighting, expansion valve technology, Santoprene door gaskets with 2 year

warranty, stainless steel breakers, R290

Hydrocarbon refrigerant, 3/4 HP, cULus, UL

doors, (6) silver freeze (chrome-style)

shelves, stainless exterior & interior.

FS-2D-S1-HC

Reach-In Freezer





\$11,947.65 ea

Continental Refrigerator 1FN **Reach-In Freezer**

Freezer, reach-in, one-section, 20 cu. ft., self-contained refrigeration, stainless steel front, aluminum interior & ends, standard depth, fullheight solid door, cylinder lock, LED interior lighting, electronic control with digital display, unit can be adjusted to operate as low as -10°F, hi-low alarm, electric condensate evaporator, R290 Hydrocarbon refrigerant, 1/2 HP, cETLus, NSF, **ENERGY STAR®**

Continental Refrigerator 2FN **Reach-In Freezer**

Freezer, reach-in, two-section, selfcontained refrigeration, stainless steel front. aluminum interior & ends, standard depth, full-height solid doors, cylinder locks, electronic control with digital display, unit can be adjusted to operate as low as -10°F, hi-low alarm, electric condensate evaporator, R290 Hvdrocarbon refrigerant. 1/2 HP. cETLus, NSF, ENERGY STAR®

Victory Refrigeration RS-2D-S1-HC **Reach-In Refrigerator**

UltraSpec[™] Series Refrigerator, Reach-in, twosection, self-contained refrigeration, 44.57 cu. ft. capacity, (2) full height solid hinged doors, (6) silver freeze (chrome-style) shelves, stainless steel exterior & interior, standard depth cabinet. TOUCH POINT™ electronic temperature control/indicator, LED lighting, expansion valve technology. Santoprene door gaskets with 2 year warranty, stainless steel breakers, R290 Hydrocarbon refrigerant, 1/3 HP, cULus, UL EPH Classified, UL-Sanitation, MADE IN USA

Continental Refrigerator 2RN **Reach-In Refrigerator**

Refrigerator, reach-in, two-section, self-contained refrigeration, stainless steel front, aluminum interior & ends, standard depth, fullheight solid doors, cylinder locks, electronic control with digital display, hi-low alarm, electric condensate evaporator, R290 hydrocarbon refrigerant, 1/3 HP, cETLus, NSF, ENERGY STAR®

True Mfg. - General Foodservice


Refrigerated Merchandiser

GDM-45-HC-LD

\$5,885.37 ea

\$5,096.85 ea

Refrigerated Merchandiser, two-section, (8) shelves, (2) Low-E thermal glass sliding doors, LED interior lights, powder coated steel exterior, white interior with stainless steel floor, R290 Hydrocarbon refrigerant, 1/2 HP, 115v/60/1ph, 8.5 amps, NEMA 5-15P, cULus, UL EPH Classified, Made in USA



Victory Refrigeration RS-1D-S1-HC **Reach-In Refrigerator**

UltraSpec[™] Series Refrigerator, Reach-in, one-section, self-contained refrigeration, 21.01 cu. ft. capacity, (1) full height solid hinged door, (3) silver freeze (chrome-style) shelves, stainless steel exterior & interior, standard depth cabinet, TOUCH POINT™ electronic temperature control/indicator, LED lighting, expansion valve technology, Santoprene door gaskets with 2 year warranty, stainless steel breakers, R290 Hydrocarbon refrigerant, 1/3 HP, cULus, UL EPH Classified, UL-Sanitation, MADE IN USA

Continental Refrigerator 1RN **Reach-In Refrigerator**

Refrigerator, reach-in, one-section, 20 cu. ft., self-contained refrigeration, stainless steel front, aluminum interior & ends, standard depth, full-height solid door, cylinder lock, electronic control with digital display, hi-low alarm, electric condensate evaporator, R290 Hydrocarbon refrigerant, 1/4 HP, cETLus, NSF, ENERGY STAR®

True Mfg. - General Foodservice GDM-26-HC~TSL01 **Refrigerated Merchandiser**

Refrigerated Merchandiser, one-section, True standard look version 01, (5) shelves, (1) Low-E thermal glass hinged door, LED interior lights, powder coated steel exterior, white interior with stainless steel floor, R290 Hydrocarbon refrigerant, 1/3 HP, 115v/60/1-ph, 5.4 amps, NEMA 5-15P, cULus, UL EPH Classified, Made in USA, ENERGY STAR®

APW Wyott RTR-8 **Refrigerated Rail**

Topping Rail, (8) 1/6 size pans, self-contained refrigeration, hinged removable covers, stainless steel construction, 1/2" non-adjustable legs, 1/5 HP, cULus

\$8,028.28 ea

\$4,448.88 ea



\$3,453.86 ea



\$4,214.18 ea







\$7,520.48 ea



Structural Concepts HMG2653R Refrigerated Service Case

Harmony[®] Service Refrigerated Case, 26-3/4"W, Breeze[™] with EnergyWise self-contained refrigeration system with evaporator pan, curved lift-up front glass, (3) lighted glass shelves, top light, swinging glass rear door, black interior, black trim, (2) full end panels with mirror, cETLus, ETL-Sanitation



Absocold \$10,440.74 ea ARD244AB10R/L Refrigerator

Guestroom refrigerator with auto defrost Dimensions: 25" H x 18-1/2" W x 20" D Cubic Capacity: 2.3 cu ft Exterior Finish: Black Voltage: 115/60/1



Absocold ARD369AB14R/L Refrigerator

\$214.39 ea

\$403.08 ea

guestroom refrigerator 3.6 cu. ft. Dimensions: 33 5/8"h x 18/ 1/2"w, 19 1/2"d Auto Defrost color: black



Danby DAR017A2BDD Refrigerator

> Compact 1.7 cu. ft. all refrigerator Color: Black Energy Star compliant Auto Defrost Dimensions: 17-11/16" W x 20-1/16"H x 20-1/16"D



Absocold CC369AB Refrigerator Microwave Combo

Cook N Cool Micro-Refrigerator 3.6 cu ft auto defrost refrigerator with ice storage compartment .9 cu ft microwave oven / 900 watts Assembled Exterior Finish: Black Dimension: 44-3/4"H x 18-1/2" W x 19-1/2" D Voltage: 120/60/1



\$15,647.79 ea

Victory Refrigeration FIS-2D-S1-HC Roll-In Freezer

UltraSpec[™] Series Freezer, Roll-in, twosection, self-contained refrigeration, 70.84 cu. ft. capacity, stainless exterior & interior, standard depth cabinet, (2) full height 20 gauge stainless steel doors, TOUCH POINT[™] electronic temperature control/indicator, LED lighting, expansion valve technology, Santoprene door gaskets with 2 year warranty, stainless steel breakers, stainless steel ramp, (2) 3/4 HP, cULus, UL EPH Classified, UL-Sanitation, MADE IN USA

Cres Cor 2071818D Refrigerator/Freezer Rack, Roll-In

Rack, Roll-In Refrigerator, open frame design, angle-type uprights, with angle slides for 18" x 26" pans, slides on 3" centers, 18 pan capacity, welded extruded aluminum frame with perimeter bumper & enclosed base, NSF \$1,354.32 ea



Victory Refrigeration FIS-1D-S1-HC Roll-In Freezer

UltraSpec[™] Series Freezer, Roll-in, onesection, self-contained refrigeration, 34.86 cu. ft. capacity, stainless exterior & interior, standard depth cabinet, (1) full height 20 gauge stainless steel door, TOUCH POINT[™] electronic temperature control/indicator, LED lighting, expansion valve technology, Santoprene door gaskets with 2 year warranty, stainless steel breakers, stainless steel ramp, 3/4 HP, cULus, UL EPH Classified, UL-Sanitation, MADE IN USA

\$10,715.01 ea



\$214.44 ea

Victory Refrigeration RIS-1D-S1-HC **Roll-in Refrigerator**

UltraSpec[™] Series Refrigerator, Roll-in, onesection, self-contained refrigeration, 34.86 cu. ft. capacity, stainless exterior & interior, standard depth cabinet, (1) full height 20 gauge stainless steel door, TOUCH POINT™ electronic temperature control/indicator, LED lighting, expansion valve technology, Santoprene door gaskets with 2 year warranty, stainless steel breakers, stainless steel ramp, 1/3 HP, cULus, UL-Sanitation. UL EPH Classified, MADE IN USA

Evo America, LLC 10-0020-NG **Round Griddle/Plancha**

Evo® Professional Commercial Series Cooking Station, natural gas, countertop, outdoor use, 30" diameter black seasoned steel removable cooking surface (plancha), 2 round inner & outer temperature zones, temperature range: 220°-550° F (121°-288° C), separate control knobs for inner & outer burners, electric push button ignition, heat shield, quick release removable stainless steel drip pan & burners. stackable, includes: cleaning kit, (2) stainless steel spatulas, (1) stainless steel scraper, 48,000 BTU, NSF, CE, Made in USA (fully assembled)

SafeMark Systems E5.1 Safe

Executive 17 inch laptop safe Enhanced LED Display 5 Year warranty (including 24/7 free phone support) \$10,000 limited warranty against forced entry (5 years) Color: Black or Beige (Must Specify) Size: 8"H x 19.5"W x 15.5"D

\$126.00 ea

\$8,348.92 ea

\$4,620.00 ea



available at no additional cost

ivory, black or grey. Custom colors (SPECIFY COLOR REQUIRED) ADA compliant lighted keypad & digital display panel Internal LED lighting standard Comprehensive audit trail Beep tone confirmation

Safe Digital laptop safe - accommodates 15" laptop Dimension: 7-7/8"H x 17-1/8"W x 14-3/8"D Standard Colors:

Innovative Hospitality Concepts INNS

Victory Refrigeration

Roll-in Refrigerator

UltraSpec[™] Series Refrigerator, Roll-in, two-

section, self-contained refrigeration, 70.84

cu. ft. capacity, stainless exterior & interior,

standard depth cabinet, (2) full height 20

control/indicator, LED lighting, expansion

valve technology, Santoprene door gaskets

gauge stainless steel doors, TOUCH POINT[™] electronic temperature

with 2 year warranty, stainless steel

breakers, stainless steel ramp, 3/4 HP.

cULus, UL-Sanitation, UL EPH Classified,

RIS-2D-S1-HC

MADE IN USA

10-0081-LP

Evo America, LLC

Round Griddle/Plancha

Evo® Professional Commercial Series Cooking

Station, propane, outdoor use, 30" diameter

black seasoned steel removable cooking

temperature zones, temperature range:

surface (plancha), (2) round inner & outer

225°-550° F (121°-288° C), separate control

knobs for inner & outer burners, electronic push button ignition, on wheeled cart with rear

stainless steel drip pan, side mounted spill

collection tray, includes: cleaning kit, (2)

stainless steel spatulas, (1) stainless steel scraper, 48,000 BTU, NSF, CE, Made in USA

handle, stainless steel tank sleeve, quick release

Innovative Hospitality Concepts INNSO Safe

Digital laptop safe - accommodates 15" laptop Dimension: 7-7/8"H x 17-1/8"W x 14-3/8"D Standard Colors: ivory, black or grey. Custom colors available at no additional cost (SPECIFY COLOR REQUIRED) ADA compliant lighted round design keypad (matte or chrome trim) & digital display panel Internal LED lighting standard Comprehensive audit trail Beep tone confirmation

\$107.58 ea



Dormont Manufacturing 1675KIT48 Packed: 1 kt Safety System Moveable Gas Connector

Dormont Blue Hose[™] Moveable Gas Connector Kit, 3/4" inside dia., 48" long, covered with stainless steel braid, coated with blue antimicrobial PVC, (1) SnapFast[®] QD, (1) full port valve, (2) 90° elbows, coiled restraining cable with hardware, 180,000 BTU/hr minimum flow capacity, limited lifetime warranty

\$210.07 kt



\$12,136.88 ea



\$118.30 ea



Hobart SDPE-11 Salad / Vegetable Dryer, Electric

Salad Dryer, floor model, 20-gallon capacity (approximately 16 heads of lettuce), 406 RPM, polyethylene outer tub & lid, polyethylene spin basket with handle grips, fully sealed polyethylene base, 5-minute timer, permanently lubricated gear drive, drain pipe extension tube, stainless steel motor splashguard, casters with brakes, 1/4 HP motor with thermal overload, 115v/60/1-ph, 2.5 amps, UL, NSF

Vulcan 36IRB-N Salamander Broiler, Gas

Salamander Broiler, natural gas. 36" wide. 30.000 BTU heavy duty infrared burner, dual control, (6) grid positions, removable pan, stainless steel front, top & sides, 3/4" gas connection & pressure regulator

Star PGT14IE Sandwich / Panini Grill

Pro-Max 2.0[®] Sandwich Grill, 14.5" W x 14.2"D grooved cast iron cooking surface, performance torsion spring hinge with ergonomic curved handle, electronic 175-550°F thermostat controls with timer, low profile, removable grease drawer, stainless steel exterior, 2.5" adjustable metal legs, cULus, UL EPH Classified, Made in USA (old model reference: CG14IE and CG14IEA)



Star GX14IG Sandwich / Panini Grill

Grill Express[™] Two-Sided Grill, electric, 14"W x 10"D cooking surface, fixed lower grill, hinged upper grill, grooved iron grill plates, thermostatic control, accommodates product up to 3" thick, 0.75" splash guard on bottom platen, stainless steel front & sides, cULus, UL EPH Classified




Star GX10IG Sandwich / Panini Grill

Grill Express[™] Two-Sided Grill, electric, 10"W x 10"D cooking surface, fixed lower grill, hinged upper grill, grooved iron grill plates, thermostatic control, accommodates product up to 3" thick, 0.75" splash guard on bottom platen, stainless steel front & sides, cULus, UL EPH Classified

Star GX20IG Sandwich / Panini Grill

Grill Express[™] Two-Sided Grill, electric, 20"W x 10"D cooking surface, fixed lower grill, (2) hinged upper grills, grooved iron grill plates, thermostatic control, accommodates product up to 3" thick, 0.75" splash guard on bottom platen, stainless steel front & sides, cULus, UL EPH Classified



\$1,155.28 ea





\$3,981.91 ea

Page 45 of 51

steel exterior & lid, polyurethane interior, unit completely enclosed, watertight motor, 1-1/2" drain, adjustable on/off timer with cycles up to 5 minutes, cord & plug included, 4" locking stem casters, 1/6 HP, 115v/60/1-ph, 2.7 amp, NEMA 5-15P, cUL, UL, NSF

Vulcan 36RB-N Salamander Broiler, Gas

Salad / Vegetable Dryer,

Shelleymatic[®] Salad Dryer,

capacity (20) gallons, stainless

Delfield

SALD-1

Electric

\$4,175.64 ea

\$5,163.87 ea

\$4,801.17 ea

\$1,330.72 ea

HOBART

..... Salamander Broiler, natural gas, 36" wide, 50,000 BTU heavy duty burner, dual control, (6) grid positions, removable pan, stainless steel front, top & sides, 3/4" gas connection & pressure regulator









Prices are estimates for budgeting purposes.

Waring **WFG250** Sandwich / Panini Grill

Tostato Supremo[™] Large Toasting Grill, electric, single, 14-1/2" x 11" cooking surface, hinged autobalancing top plate with heat resistant handles, flat cast iron plates, adjustable thermostats 570°F (300°C), indicator lights, brushed stainless steel body & removable drip tray, 1.8kW, 120v/60/1-ph, 15.0 amp, NEMA 5-15P, UL, NSF

True Mfg. - General Foodservice TSSU-27-08-HC Sandwich / Salad Preparation Refrigerator

Sandwich/Salad Unit, (8) 1/6 size (4"D) poly pans, stainless steel insulated cover, 11-3/4"D cutting board, (1) door, (2) PVC coated adjustable wire shelves, stainless steel top, front & sides, aluminum back, aluminum interior with stainless steel floor, R290 Hydrocarbon refrigerant, 1/5 HP, 115v/60/1-ph, 3.5 amps, NEMA 5-15P, cULus, UL EPH Classified, Made in USA

True Mfg. - General Foodservice

Sandwich / Salad Preparation

Sandwich/Salad Unit, (18) 1/6 size

insulated cover, 11-3/4"D cutting

board, (3) full doors, (6) PVC coated

adjustable wire shelves, stainless

steel back, aluminum interior with

Hydrocarbon refrigerant, 1/2 HP,

115v/60/1-ph, 7.2 amps, NEMA 5-

15P, cULus, UL EPH Classified, Made

stainless steel floor, R290

steel top/front/sides, GalFan coated

(4"D) poly pans, stainless steel

TSSU-72-18-HC

Refrigerator

\$2,980.29 ea



\$5,756.43 ea



Metro SEC55C **Security Unit**

in USA

Super Erecta® Security Unit, stationary, chrome plated finish, 50-1/2"W x 27-1/4"D x 66-13/16"H, no intermediate shelves, NSF

\$845.59 ea CO37R-E3 **Self-Service Refrigerated Open Air Screen Case**

USA

Express 3 Oasis® Self-Service **Refrigerated Open Air Screen** Case, 36-1/4"W, 79-3/4"H, Breeze-E (Type II) with EnergyWise self-contained refrigeration system, (4) lighted removable & adjustable metal shelves, top light, black interior & exterior, (2) full end panels, flat front, casters, cETLus, ETL-Sanitation

True Mfg. - General Foodservice

Sandwich / Salad Preparation

Sandwich/Salad Unit, (10) 1/6 size

board, (2) full doors, (4) PVC coated

adjustable wire shelves, stainless

steel back, aluminum interior with

115v/60/1-ph, 5.8 amps, NEMA 5-

15P, cULus, UL EPH Classified Made

True Mfg. - General Foodservice

Sandwich / Salad Preparation

Sandwich/Salad Unit, (16) 1/6 size

(4"D) poly pans, stainless steel

insulated cover, 11-3/4"D cutting

board, (2) full doors, (4) PVC coated adjustable wire shelves, stainless

steel top/front/sides, GalFan coated

steel back, aluminum interior with

Hydrocarbon refrigerant, 1/3 HP,

115v/60/1-ph, 6.5 amps, NEMA 5-

Sandwich / Salad Preparation

Sandwich Top Refrigerated Counter, one-

section, 27"W, 6.9 cu. ft., (1) door, stainless

steel top with opening for (8) 1/6 size pans,

10" cutting board, (2) epoxy-coated wire

interior, rear-mounted self-contained

shelves, stainless steel exterior, aluminum

refrigeration, (pans furnished are 4" deep,

Hydrocarbon refrigerant, 1/10 HP, cULus,

UL EPH Classified, UL-Sanitation, Made in

Structural Concepts

tops will accommodate 6" deep pans), R290

15P, cULus, UL EPH Classified, Made

stainless steel floor, R290

stainless steel floor, R290 Hydrocarbon refrigerant, 1/3 HP,

(4"D) poly pans, stainless steel insulated cover, 11-3/4"D cutting

TSSU-48-10-HC

Refrigerator

in USA

in USA

Beverage Air

SPE27HC-B

Refrigerator

TSSU-60-16-HC

Refrigerator

\$5,022.51 ea

steel top, front, sides, GalFan coated

\$4,886.53 ea



\$2,676.82 ea



\$9,089.82 ea





Prices are estimates for budgeting purposes.





\$780.73 ea

Metro 5Q557G3 Shelving Unit, Hybrid Poly/Wire with Polymer Post

MetroMax[®] Q Starter Shelving Unit, 48"W x 24"D x 74"H, 800 lb. capacity per shelf, 2000 lb. capacity per unit, (5) quickadjust shelves with removable polymer open-grid shelf mats and epoxy coated one-piece steel frames, (4) polymer posts, Microban antimicrobial product protection, KD, NSF

Taylor Company C161 Soft Serve Machine

Soft Serve Freezer, counter model, self-contained, compact twin twist, (2) 8 qt. hoppers, (2) 1.5 qt. freezing cylinders, indicator lights, Softech™ electronic controls. standby mode. air filter, door interlock system, stainless steel finish, R404A, (2) 1/2 HP motors, NSF, cULus listed (Go to the Taylor web site link to locate your distributor for pricing & warranty information)


Taylor Company 772 Soft Serve Machine

Soft Serve Freezer, floor model, self-contained, two flavor, (2) 20 gt. hoppers, (2) 7 gt. freezing cylinders, indicator lights, solid state controls, standby, stainless steel finish, R404A, (2) 2 HP motors, NSF, cULus listed (Go to the Taylor web site link to locate your distributor for pricing & warranty information)

Taylor Company C707 Soft Serve Machine

Crown[®] Series Soft Serve Freezer. counter model, self-contained, single flavor, 20 qt. hopper, 3.4 qt. freezing cylinder, indicator lights, Softech[™] electronic controls, standby, digital temperature indicator, stainless steel finish, R404A, 1-1/2 HP motor, NSF, cULus listed (Go to the Taylor web site link to locate your distributor for pricing & warranty information)





Taylor Company

C152

self-contained, air-cooled, single flavor, 8 qt. hopper, 1.5 qt. freezing cylinder, indicator lights, Softech™ electronic controls, standby mode, door interlock system, stainless steel finish, R404A, 1/2 HP motor, NSF, cULus listed (Go to the Taylor web site link to locate your distributor for pricing & warranty information)

Taylor Company Soft Serve Machine

Soft Serve Freezer, counter model, self-contained, single flavor, 20 qt. hopper, 4 qt. freezing cylinder, indicator lights, solid state controls, standby, stainless steel finish, R404A, 1 HP motor, NSF, cULus listed (Go to the Taylor web site link to locate your distributor for pricing & warranty information)

Taylor Company C706 **Soft Serve Machine**

Crown® Series Soft Serve Freezer, counter model, self-contained, single flavor pump, 20 qt. hopper, 3.4 qt. freezing cylinder, indicator lights, Softech[™] electronic controls, standby, digital temperature indicator, stainless steel finish, R404A, 1-1/2 HP motor, NSF, cULus listed (Go to the Taylor web site link to locate your distributor for pricing & warranty information)

Taylor Company C713 Soft Serve Machine

Crown[®] Series Soft Serve Freezer, floor model, self-contained, twist, (2) 20 qt. hoppers, (2) 3.4 qt. freezing cylinders, indicator lights, touch screen controls, standby, stainless steel finish, R449A, (2) 1-1/2 HP motor, NSF, cULus listed (Go to the Taylor web site link to locate your distributor for pricing & warranty information)

\$8,309.00 ea

\$10,330.60 ea

\$14,968.80 ea

\$22,099.00 ea



\$15,384.60 ea

\$664.02 ea





\$21,974.40 ea

702

Vulcan C24EO5 Steamer, Convection, **Boilerless, Countertop**

Convection Steamer, Boilerless/Connectionless Countertop, electric, (5) 12" x 20" pan capacity, professional controls with 60 minute timer, buzzer, & constant steam feature, generator pan with stamped water level line, heavy duty door latch, stainless steel interior & exterior, UL, ENERGY **STAR**[®]

Crown EC-3 Steamer, Pressure, Electric

Pressure Steamer, electric heated boiler, (3) compartments, 36" cabinet base, independent automatic timer controls, automatic boiler blow down, removable shelf supports, slide out shelf, CSD-1 package, includes water filter system & "Y" strainer, cabinet base with (2) solid hinged doors, 304 stainless steel interior & exterior finish, cCSAus, NSF

\$13,400.58 ea

\$45,349.20 ea

\$55,643.06 ea

\$26,485.80 ea

P



Crown

EC-2 Steamer, Pressure, Electric

Pressure Steamer, electric heated boiler, (2) compartments, 36" cabinet base, independent automatic timer controls, automatic boiler blow down, removable shelf supports, slide out shelf, CSD-1 package, includes water filter system & "Y" strainer, cabinet base with (2) solid hinged doors, 304 stainless steel interior & exterior finish, cCSAus, NSF

Crown GC-2 Steamer, Pressure, Gas

Pressure Steamer, gas heated boiler, (2) compartments, 36" cabinet base, independent automatic timer controls, electronic ignition, removable shelf supports, slide out shelf, CSD-1 package, includes water filter system, automatic boiler blowdown, split water line, water in "Y" strainer (condenser feed), stainless steel interior & exterior finish, 250,000 BTU, 73.3kW/hr, CSA-Star, CSA-Flame, NSF

Elkay Foodservice Products SL3C20X28-2-24 Three (3) Compartment Sink

Spec-Line Series Sink, 3compartment, 24" left & right drainboards, 20"W x 28" frontto-back x 14" deep bowls, 10"H backsplash, 14 gauge stainless steel top, bowl, legs & adjustable feet, includes (3) 3-1/2" basket strainers, overall dimensions 112"L x 33-13/16"W x 44-3/4" H



Vulcan **VG40 Tilting Skillet Braising Pan, Gas**

Braising Pan, Gas, 40-gallon capacity, 46" wide open base, manual tilt, 9" deep stainless steel pan with gallon markings, pouring lip & removable strainer, spring assist cover with drip edge, pan holder, solid state control, includes L faucet bracket, electric ignition, 12" stainless steel legs with adjustable flanged feet, 120,000 BTU, CSA Flame, CSA Star, UL EPH Classified

\$31,441.50 ea



\$42,398.42 ea

\$46,222.33 ea

\$3,240.63 ea





Crown GC-3 Steamer, Pressure, Gas

Pressure Steamer, gas heated boiler, (3) compartments, 36" cabinet base, independent automatic timer controls, electronic ignition, removable shelf supports, slide out shelf, CSD-1 package, includes water filter system, automatic boiler blowdown, split water line, water in "Y" strainer (condenser feed), stainless steel interior & exterior finish, 300,000 BTU, 87.9kW/hr, CSA-Star, CSA-Flame, NSF

Vulcan **VE40 Tilting Skillet Braising Pan,** Electric

Braising Pan, electric, 40-gallon capacity, 16 kW FastBatch™ embedded heating technology, 46" wide open base, manual tilt, 9" deep stainless steel pan with gallon markings, pouring lip & removable strainer, spring assist cover with drip edge, pan holder, water tight solid state controls, includes L faucet bracket, 12" stainless steel legs with adjustable flanged feet, cULus, UL **EPH Classified**



Prices are estimates for budgeting purposes.

Waring **WCT800RC** Toaster, Pop-Up

Commercial Toaster, heavyduty, (4) 1-1/8" slots, (4) slice capacity (up to 300 slices/hr), (2) rotary dial to adjust browning controls, removable crumb tray, carriage control levers, replaceable industrial heating plates, brushed stainless steel finish, NEMA 5-15P, 120v/50/60/1-ph, 15 amps, 1800 watts, cETLus, NSF

True Mfg. - General Foodservice TUC-27D-2-HC **Undercounter Refrigerator**

Undercounter Refrigerator, 33 - 38°F, (2) drawers each, accommodates (1) 12" x 20" x 6" food pan (NOT included), stainless steel top, front & sides, clear coated aluminum interior with stainless steel floor, R290 Hydrocarbon refrigerant, 1/6 HP, 115v/60/1-ph, 2.0 amps, NEMA 5-15P, cULus, UL EPH Classified, CE, Made in USA

True Mfg. - General Foodservice TUC-60-HC **Undercounter Refrigerator**

Undercounter Refrigerator, 33 -38°F, (2) stainless steel doors, (4) PVC coated adjustable wire shelves, stainless steel top & sides, aluminum interior with stainless steel floor, R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1-ph, 4.0 amps, NEMA 5-15P, cULus, UL EPH Classified, Made in USA



Beverage Air UCR48AHC **Undercounter Refrigerator**

Undercounter Refrigerator, twosection, 48"W, 11.82 cu. ft., (2) doors, (4) shelves, stainless steel exterior front, sides, door, top & grille, aluminum interior, rear-mounted self-contained refrigeration, R290 Hydrocarbon refrigerant, 1/6 HP, cULus, UL EPH Classified, UL-Sanitation, Made in USA

\$3,658.62 ea VS9-12 **Vegetable Cutter Attachment**

9" Vegetable Slicer for #12 attachment hub; includes back case, hopper front, & adjustable slicer plate, NSF

steel floor, R290 Hydrocarbon Classified, Made in USA

Undercounter Refrigerator

section, 27"W, 6.13 cu. ft., (1)

steel exterior front, sides, door,

top & grille, aluminum interior,

rear-mounted self-contained

Hydrocarbon refrigerant, 1/10

HP, cULus, UL EPH Classified,

UL-Sanitation, Made in USA

refrigeration, R290

Hobart

door, (2) shelves, stainless

Beverage Air

UCR27AHC

\$2,426.06 ea

\$2,131.08 ea



\$2,404.93 ea

\$4,209.90 ea

\$520.48 ea

\$4,383.59 ea

True Mfg. - General Foodservice TUC-44-HC **Undercounter Refrigerator**

Elkay Foodservice Products

Two (2) Compartment Sink

compartment, 24" left & right

drainboards, 20"W x 28" frontto-back x 14" deep bowls, 10"H

backsplash, 14 gauge stainless

adjustable feet, includes (2) 3-

1/2" basket strainers, overall dimensions 90"L x 33-13/16"W


Spec-Line Series Sink, 2-

steel top, bowl, legs &

x 44-3/4" H

SL2C20X28-2-24

Deep Undercounter Refrigerator, 33 -38°F, side mounted self-contained refrigeration, (1) stainless steel door, (2)PVC coated adjustable wire shelves, stainless steel top & sides. aluminum interior with stainless refrigerant, 1/10 HP, 115v/60/1-ph, 1.7 amps, NEMA 5-15P, cULus, UL EPH







Wells RW-1HD Warming Drawer, Free Standing

Heavy Duty Warming Drawer Unit, freestanding, one drawer, capacity approximately 8 dozen rolls/drawer, humidity and thermostat controls, stainless steel construction, cULus



\$6,068.28 ea

\$273.77 ea

\$817.39 ea

Wells RW-2HD Warming Drawer, Free Standing

Heavy Duty Warming Drawer Unit, freestanding, two drawers, capacity approximately 8 dozen rolls/drawer, humidity and thermostat controls, stainless steel construction, cULus, CE \$4,311.25 ea



Wells RW-3HD Warming Drawer, Free Standing

Heavy Duty Warming Drawer Unit, freestanding, three drawers, capacity approximately 8 dozen rolls/drawer, humidity and thermostat controls, stainless steel construction, cULus



True Mfg. - General Foodservice GDM-23W-HC~TSL01 Wine Refrigerator

Wine Merchandiser, one-section,

True standard look version 01, (4)

thermal glass hinged door with lock,

LED interior lighting, black aluminum

wine racks & (1) shelf, powder

coated steel exterior, (1) Low-E

interior with mirrored back,

stainless steel floor, R290 Hydrocarbon refrigerant, 1/3 HP, 115v/60/1-ph, 5.4 amps, NEMA 5-15P, cULus, Made in USA, ENERGY

STAR[®]

Metro

NSF

5A557K3

Wire Shelving Unit

finish with Microban[®] antimicrobial protection, KD, \$4,435.81 ea



\$455.11 ea

Metro EZ2448BR-4 Wire Shelving Unit

Super Erecta® Convenience Pak Shelving Unit, 48"W x 24"D x 74"H, (4) wire shelves with clips & (4) split posts with adjustable feet, Super Erecta Brite™ finish, KD, NSF



Elkay Foodservice Products SLWT30S60-BG Work Table, Stainless Steel Top

Spec-Line Series Work Table, 60"W x 30"D, 14/300 series stainless steel top with 4"H backsplash, adjustable 18 gauge galvanized undershelf, with adjustable plastic feet, NSF



Elkay Foodservice Products DSLWT30S120-BS Work Table, Stainless Steel Top

Deluxe Spec-Line Series Work Table, 120"W x 30"D, 14/300 series stainless steel top with 4"H backsplash, adjustable 18/300 series stainless steel undershelf, (6) stainless steel legs with adjustable metal feet, NSF



Super Adjustable Super Erecta[®] Starter Shelving Unit, 48"W x 24"D x 74"H, (5) wire shelves, (4) posts, Metroseal 3™ epoxycoated corrosion-resistant



\$2,092.63 ea



Elkay Foodservice Products SLWT30S48-STS Work Table, Stainless Steel Top

Spec-Line Series Work Table, 48"W x 30"D, 14/300 series stainless steel flat top, adjustable 18 gauge stainless steel undershelf, stainless steel legs with adjustable metal feet, NSF

